Author Index

A

Abo, T. *See* Ohteki, Seki, Abo, and Kumagai.

Abrams, J.S. *See* Limaye, Abrams, Silver, Ottesen, and Nutman.

Aderem, A. *See* Rosen, Keenan, Thelen, Nairn, and Aderem.

Afifi, A. *See* Perlman, Evans, and Afifi.

Agabian, N. *See* Edman, Meraz, Rausser, Agabian, and Meza.

Aggarwal, A., Kumar, S., Jaffe, R., Hone, D., Gross, M., and Sadoff, J. Oral *Salmonella*: malaria circumsporozoite recombinants induce specific $CD8^+$ cytotoxic T cells. 1083.

Agui, T., Oka, M., Yamada, T., Sakai, T., Izumi, K., Ishida, Y., Himeno, K., and Matsumoto, K. Maturational arrest from $CD4^+8^+$ to $CD4^+8^-$ thymocytes in a mutant strain (LEC) of rat. 1615.

Ahmed, R. *See* Matloubian, Somasundaram, Kolhekar, Selvakumar, and Ahmed.

Akedo, H. *See* Seya, Hara, Matsumoto, Sugita, and Akedo.

Aksentijevick, I. *See* Sharabi, Aksentijevick, Sundt, Sachs, and Sykes.

Alcalay, M. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.

Alderson, M.R., Sassenfeld, H.M., and Widmer, M.B. Interleukin 7 enhances cytolytic T lymphocyte generation and induces lymphokine-activated killer cells from human peripheral blood. 577.

Alexander, J. *See* Jardim, Alexander, Teh, Ou, and Olafson.

Allan, W. *See* Carding, Allan, Kyes, Hayday, Bottomly, and Doherty.

Allen, R.D., Marshall, J.D., Roths, J.B., and Sidman, C.L. Differences defined by bone marrow transplantation suggest that *lpr* and *gld* are mutations of genes encoding an interacting pair of molecules. 1367.

Altman, D.J., Schneider, S.L., Thompson, D.A., Cheng, H.-L., and Tomasi, T.B. A transforming growth factor $\beta 2$ (TGF-$\beta 2$)-like immunosuppressive factor in amniotic fluid and localization of TGF-$\beta 2$ mRNA in the pregnant uterus. 1391.

Ameisen, J.-C. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.

Anasetti, C., Tan, P., Hansen, J.A., and Martin, P.J. Induction of specific nonresponsiveness in unprimed human T cells by anti-CD3 antibody and alloantigen. 1691.

Anderson, J. M. *See* Villablanca, Anderson, Moseley, Law, Elstrom, and LeBien.

Anderson, R.W. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.

Andrews, R.G., Singer, J.W., and Bernstein, I.D. Human hematopoietic precursors in long-term culture: single $CD34^+$ cells that lack detectable T cell, B cell, and myeloid cell antigens produce multiple colony-forming cells when cultured with marrow stromal cells. 355.

Ansel, J.C. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.

Arcucci, A. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.

Ardman, B., Sikorski, M.A., Settles, M., and Staunton, D.E. Human immunodeficiency virus type 1–infected individuals make autoantibodies that bind to CD43 on normal thymic lymphocytes. 1151.

Arruda, L.K., Platts-Mills, T.A.E., Fox, J.W., and Chapman, M.D. *Aspergillus fumigatus* allergen I, a major IgE-binding protein, is a member of the mitogillin family of cytotoxins. 1529.

Asheim, H.C. *See* Stamenkovic, Asheim, Deggerdal, Blomhoff, Smeland, and Funderud.

Astle, C.M. *See* Harrison, Stone, and Astle.

Attanath, P. *See* Bouharoun-Tayoun, Attanath, Sabchareon, Chongsuphajaisiddhi, and Druilhe.

Auchincloss, H., Jr. *See* Moses, Pierson, Winn, and Auchincloss.

Austyn, J.M. *See* Larsen, Steinman, Witmer-Pack, Hankins, Morris, and Austyn.

Avanzi, G. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.

B

Baca, L.M. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.

Bach, F.H. *See* Kaufman, Platt, Rabe, Dunn, Bach, and Sutherland.

Bach, F.H. *See* Yabe, McSherry, Bach, and Houchins.

Baer, R. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.

Bahraoui, E. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot, and Lévy.

Bailly, P. *See* Ezekowitz, Sastry, Bailly, and Warner.

Bakx, T.A. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, van Bekkum, and Valerio.

Ballermann, B.J. *See* Marsden and Ballermann.

Baltimore, D. *See* Pomerantz, Feinberg, Trono, and Baltimore.

Bandeira, A., Mota-Santos, T., Itohara, S., Degermann, S., Heusser, C., Tonegawa, S., and Coutinho, A. Localization of γ/δ T cells to the intestinal epithelium is independent of normal microbial colonization. 239.

Banks, T. *See* Tamura, Holroyd, Banks, Kirby, Okayama, and Crystal.

Bannerji, R. *See* Gansbacher, Zier, Daniels, Cronin, Bannerji, and Gilboa.

Barbaresi, M. *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.

Bárcena, A., Toribio, M.L., Pezzi, L., and Martínez-A, C. A role for interleukin 4 in the differentiation of mature T cell receptor γ/δ^+ cells from human intrathymic T cell precursors. 439.

Barrett, R. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.

Bass, H. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.

Bauer, A. *See* Clayton, Bauer, Jin, D'Adamio, Koyasu, and Reinherz.

Bauer, D. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.

Beachey, E.H. *See* Tomai, Kotb, Majumdar, and Beachey.

Befus, D. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.

Bell, J.I. *See* Ratcliffe, Jones, Phillips, Nicholls, and Bell.

Bellinger-Kawahara, C., and Horwitz, M.A. Complement component C3 fixes selectively to the major outer membrane protein (MOMP) of *Legionella pneumophila* and mediates phagocytosis of liposome-MOMP complexes by human monocytes. 1201.

Bellomo, R. *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.

Bender, J. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.

Benichou, G., Takizawa, P.A., Ho, P.T., Killion, C.C., Olson, C.A., McMillan, M., and Sercarz, E.E. Immunogenicity and tolerogenicity of self-major histocompatibility complex peptides. 1341.

Ben-Sasson, S.Z. *See* Le Gros, Ben-Sasson, Seder, Finkelman, and Paul.

Bergman, C.M. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.

Bermudez, L.E.M. *See* Black, Bermudez, Young, and Remington.

Bernard, A. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.

Bernstein, I.D. *See* Andrews, Singer, and Bernstein.

Berry, K. *See* Mountz, Zhou, Eldridge, Berry, and Blüthmann.

Bertolini, A. *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.

Berton, M.T., and Vitetta, E.S. Interleukin 4 induces changes in the chromatin structure of the $\gamma 1$ switch region in resting B cells before switch recombination. 375.

Bessen, D.E., and Fischetti, V.A. Differentiation between two biologically distinct classes of group A streptococci by limited substitutions of amino acids within the shared region of M protein–like molecules. 1757.

Beutler, B. *See* Han, Thompson, and Beutler.

Beverley, P.C.L. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch,

Kwong, Beverley, and Sattentau.
Bhakdi, S. *See* Grimminger, Thomas, Obernitz, Walmrath, Bhakdi, and Seeger. — *See* Seifert, Hugo, Tranum-Jensen, Zähringer, Muhly, and Bhakdi.
Bianchi, A.C.M. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Bianchi, E. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.
Biassoni, R. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-CD16$^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.
Billiau, A. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Biondi, A. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Bischoff, S.C., Brunner, T., De Weck, A.L., and Dahinden, C.A. Interleukin 5 modifies histamine release and leukotriene generation by human basophils in response to diverse agonists. 1577.
Bismuth, G. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Black, C.M., Bermudez, L.E.M., Young, L.S., and Remington, J.S. Coinfection of macrophages modulates interferon γ and tumor necrosis factor–induced activation against intracellular pathogens. 977.
Blackman, M.J., Heidrich, H.-G., Donachie, S., McBride, J.S., and Holder, A.A. A single fragment of a malaria merozoite surface protein remains on the parasite during red cell invasion and is the target of invasion-inhibiting antibodies. 379.
Blair, M.J. *See* Fink, Blair, Matis, and Hedrick.
Blakolmer, K. *See* Verfaillie, Blakolmer, and McGlave.
Blanden, R.V. *See* Karupiah, Blanden, and Ramshaw.
Blank, K.J. *See* Korostoff, Nakada, Faas, Blank, and Gaulton.
Blobel, G. *See* Courvalin, Lassoued, Worman, and Blobel.
Blomhoff, H.K. *See* Stamenkovic, Asheim, Deggerdal, Blomhoff, Smeland, and Funderud.
Blüthmann, H. *See* Mountz, Zhou, Eldridge, Berry, and Blüthmann.
Boggs, S.S. *See* van den Brink, Boggs, Herberman, and Hiserodt.
Bolton, E.M. *See* Gracie, Bolton, Porteous, and Bradley.
Bontrop, R.E., Elferink, D.G., Otting, N., Jonker, M., and de Vries, R.R.P. Major histocompatibility complex class II–restricted antigen presentation across a species barrier: conservation of restriction determinants in evolution. 53.
Boon, T. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
Bora, N.S. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Borgeat, P. *See* Bourgoin, Plante, Gaudry, Naccache, Borgeat, and Poubelle.
Born, W. *See* Reardon, Lefrancois, Farr, Kubo, O'Brien, and Born.
Bossù, P. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Bottino, C. *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Botto, M., Fong, K.Y., So, A.K., Koch, C., and Walport, M.J. Molecular basis of polymorphisms of human complement component C3. 1011.
Bottomly, K. *See* Carding, Allan, Kyes, Hayday, Bottomly, and Doherty.
Bouharoun-Tayoun, H., Attanath, P., Sabchareon, A., Chongsuphajaisiddhi, T., and Druilhe, P. Antibodies that protect humans against *Plasmodium falciparum* blood stages do not on their own inhibit parasite growth and invasion in vitro, but act in cooperation with monocytes. 1633.
Bouillot, M. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot, and Lévy.
Bourgoin, S., Plante, E., Gaudry, M., Naccache, P.H., Borgeat, P., and Poubelle, P.E. Involvement of a phospholipase D in the mechanism of action of granulocyte-macrophage colony-stimulating factor (GM-CSF): priming of human neutrophils in vitro with GM-CSF is associated with accumulation of phosphatidic acid and diradylglycerol. 767.
Bradley, J.A. *See* Gracie, Bolton, Porteous, and Bradley.
Brenner, C.A. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.
Brenner, M.K. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Bressler, P. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Brett, J. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Brockhaus, M. *See* Shalaby, Sundan, Loetscher, Brockhaus, Lesslauer, and Espevik.
Brocklehurst, C. *See* Krangel, Yssel, Brocklehurst, and Spits.
Brodeur, P.H. *See* Kalled and Brodeur.
Brunner, T. *See* Bischoff, Brunner, De Weck, and Dahinden.
Buch, D. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Bugnoli, M. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Buller, R.S. *See* Pincus, Wehrly, Tschachler, Hayes, Buller, and Reitz.
Burastero, S. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
Burgert, H.-G. *See* Jefferies and Burgert.
Burkhardt, R.A. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Burridge, K. *See* Greenberg, Burridge, and Silverstein.
Burton, J. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Butler, P.J.G., Tennent, G.A., and Pepys, M.B. Pentraxin-chromatin interactions: serum amyloid P component specifically displaces H1-type histones and solubilizes native long chromatin. 13.

C

Caldwell, H.D. *See* Su, Morrison, Watkins, and Caldwell.
Cambiaggi, C. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
Campanelli, D., Melchior, M., Fu, Y., Nakata, M., Shuman, H., Nathan, C., and Gabay, J.E. Cloning of cDNA for proteinase 3: a serine protease, antibiotic, and autoantigen from human neutrophils. 1709.
Cannella, B., Cross, A.H., and Raine, C.S. Upregulation and coexpression of adhesion molecules correlate with relapsing autoimmune demyelination in the central nervous system. 1521.
Cantor, H. *See* Patarca, Wei, Singh, Morasso, and Cantor.
Capel, P.J.A. *See* Warmerdam, van de Winkel, Gosselin, and Capel.
Capron, A. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron. — *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Capron, M. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron.
Carding, S.R., Allan, W., Kyes, S., Hayday, A., Bottomly, K., and Doherty, P.C. Late dominance of the inflammatory process in murine influenza by γ/δ^+ T cells. 1225.
Caretto, P. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.
Carmack, C.E., Shinton, S.A., Hayakawa, K., and Hardy, R.R. Rearrangement and selection of V_H11 in the Ly-1 B cell lineage. 371.
Carmack, C.E. *See* Hayakawa, Carmack, Hyman, and Hardy.
Carroll, A. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.
Carter, L. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.
Castle, B.E. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Caton, A.J. A single pre-B cell can give rise to antigen-specific B cells that utilize distinct immunoglobulin gene rearrangements. 815. — *See* Taylor, Haberman, Gerhard, and Caton.
Celada, F., Cambiaggi, C., Maccari, J., Burastero, S., Gregory, T., Patzer, E., Porter, J., McDanal, C., and Matthews, T. Antibody raised against soluble CD4-rgp120 complex recognizes the CD4 moiety and blocks membrane fusion without inhibiting CD4-gp120 binding. 1143.
Celis, E. *See* Karr, Yu, Watts, Evans, and Celis.
Cerami, A. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
Champagne, P. *See* Christie, Vohra, Champagne, Daneman, and Delovitch.
Chang, H.-C., Moingeon, P., Pedersen, R., Lucich, J., Stebbins, C., and Reinherz, E.L. Involvement of the PPPGHR motif in T cell activation via CD2. 351.
Chapman, M.D. *See* Arruda, Platts-Mills, Fox, and Chapman.

Chatila, T. *See* Mourad, Geha, and Chatila.
Chen, B.P., Madrigal, A., and Parham, P. Cytotoxic T cell recognition of an endogenous class I HLA peptide presented by a class II HLA molecule. 779.
—, Rothbard, J., and Parham, P. Apparent lack of MHC restriction in binding of class I HLA molecules to solid-phase peptides. 931.
Chen, Q., Yang, C.Y.-C., Tsan, J.T., Xia, Y., Ragab, A.H., Peiper, S.C., Carroll, A., and Baer, R. Coding sequences of the *tal*-1 gene are disrupted by chromosome translocation in human T cell leukemia. 1403.
Cheng, H.-L. *See* Altman, Schneider, Thompson, Cheng, and Tomasi.
Cheung, N.-K.V. *See* Munn and Cheung.
Chiang, T. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Chihara, J., Plumas, J., Gruart, V., Tavernier, J., Prin, L., Capron, A., and Capron, M. Characterization of a receptor for interleukin 5 on human eosinophils: variable expression and induction by granulocyte/macrophage colony-stimulating factor. 1347.
Chin, T. *See* Jones, Chin, Merriam, Nelson, and Kruisbeck.
Choi, Y., Lafferty, J.A., Clements, J.R., Todd, J.K., Gelfand, E.W., Kappler, J., Marrack, P., and Kotzin, B.L. Selective expansion of T cells expressing Vβ2 in toxic shock syndrome. 981.
Chomez, P. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
Chongsuphajaisiddhi, T. *See* Bouharoun-Tayoun, Attanath, Sabchareon, Chongsuphajaisiddhi, and Druilhe.
Choppin, J., Martinon, F., Gomard, E., Bahraoui, E., Connan, F., Bouillot, M., and Lévy, J.P. Analysis of physical interactions between peptides and HLA molecules and application to the detection of human immunodeficiency virus 1 antigenic peptides. 889.
Chou, M.Y. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Christie, M.R., Vohra, G., Champagne, P., Daneman, D., and Delovitch, T.L. Distinct antibody specificities to a 64-kD islet cell antigen in type 1 diabetes as revealed by trypsin treatment. 789.
Chrivia, J.C., Wedrychowicz, T., Young, H.A., and Hardy, K.J. A model of human cytokine regulation based on transfection of γ interferon gene fragments directly into isolated peripheral blood T lymphocytes. 661.
Chvatchko, Y. *See* Speiser, Chvatchko, Zinkernagel, and MacDonald.
Ciccone, E., Pende, D., Viale, O., Tambussi, G., Ferrini, S., Biassoni, R., Longo, A., Guardiola, J., Moretta, A., and Moretta, L. Specific recognition of human $CD3^-CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Clark, R.B. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.
Clauss, M., Gerlach, M., Gerlach, H., Brett, J., Wang, F., Familletti, P.C., Pan, Y.-C.E., Olander, J.V., Connolly, D.T., and Stern, D. Vascular permeability factor: a tumor-derived polypeptide that induces endothelial cell and monocyte procoagulant activity, and promotes monocyte migration. 1535.
Clayton, L.K., Bauer, A., Jin, Y.-J., D'Adamio, L., Koyasu, S., and Reinherz, E.L. Characterization of thymus-derived lymphocytes expressing Tiα-βCD3$\gamma\delta\varepsilon\zeta$-$\zeta$, Ti$\alpha$-$\beta$CD3$\gamma\delta\varepsilon\eta$-$\eta$ or Tiα-βCD3$\gamma\delta\varepsilon\zeta$-$\zeta/\zeta$-$\eta$ antigen receptor isoforms: analysis by gene transfection. 1243.
Clements, J.R. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
Coenjaerts, F.E.J. *See* Stuiver, Coenjaerts, and van der Vliet.
Coffman, R.L. *See* Gauchat, Lebman, Coffman, Gascan, and de Vries.
Coligan, J.E. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
Connan, F. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot, and Lévy.
Connolly, D.T. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Cook, R.G. *See* Grossman, Cook, Sparrow, Mollick, and Rich.
— *See* Wolf and Cook.
Cooper, M.D. *See* Ohno, Kubagawa, Sanders, and Cooper.
Cordingley, F.T. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Cosman, D. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
Coulie, P. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Courvalin, J.-C., Lassoued, K., Worman, H.J., and Blobel, G. Identification and characterization of autoantibodies against the nuclear envelope lamin B receptor from patients with primary biliary cirrhosis. 961.
Coutinho, A. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Cremer, M.A. *See* Watson, Thompson, Terato, Cremer, and Kang.
Cronin, K. *See* Gansbacher, Zier, Daniels, Cronin, Bannerji, and Gilboa.
Cross, A.H. *See* Cannella, Cross, and Raine.
Croteau, G. *See* Herman, Croteau, Sekaly, Kappler, and Marrack.
Crowley, M., Inaba, K., and Steinman, R.M. Dendritic cells are the principal cells in mouse spleen bearing immunogenic fragments of foreign proteins. 383.
Crowley, M.T. *See* Inaba, Metlay, Crowley, and Steinman.
— *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Crystal, R.G. *See* Tamura, Holroyd, Banks, Kirby, Okayama, and Crystal.
Curfs, J.H.A.J., van der Meer, J.W.M., Sauerwein, R.W., and Eling, W.M.C. Low dosages of interleukin 1 protect mice against lethal cerebral malaria. 1287.
Curtis, B.M. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.

D

D'Adamio, L. *See* Clayton, Bauer, Jin, D'Adamio, Koyasu, and Reinherz.
Dahinden, C.A. *See* Bischoff, Brunner, De Weck, and Dahinden.
Daneman, D. *See* Christie, Vohra, Champagne, Daneman, and Delovitch.
Dang, N.H., Torimoto, Y., Schlossman, S.F., and Morimoto, C. Human CD4 helper T cell activation: functional involvement of two distinct collagen receptors, 1F7 and VLA integrin family. 649.
Dang, W. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Danielpour, D. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Daniels, B. *See* Gansbacher, Zier, Daniels, Cronin, Bannerji, and Gilboa.
Danska, J.S., Livingstone, A. M., Paragas, V., Ishihara, T., and Fathman, C.G. The presumptive CDR3 regions of both T cell receptor α and β chains determine T cell specificity for myoglobin peptides. 27.
Danska, J.S. *See* Guidos, Danska, Fathman, and Weissman.
David, C.S. *See* Nickerson, Hanson, and David.
Davies, A. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Davis, T. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
Davison, J.S. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.
de Bergeyck, V. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
Degermann, S. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Deggerdal, A. *See* Stamenkovic, Asheim, Deggerdal, Blomhoff, Smeland, and Funderud.
de Groot, C.J.A. *See* Huitinga, van Rooijen, de Groot, Uitdehaag, and Dijkstra.
Delespesse, G. *See* Letellier, Nakajima, Pulido-Cejudo, Hofstetter, and Delespesse.
Delovitch, T.L. *See* Christie, Vohra, Champagne, Daneman, and Delovitch.
Del Porto, P. *See* Mami-Chouaib, Miossec, Del Porto, Flament, Triebel, and Hercend.
De Magistris, M.T. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
De Mel, W.C.P. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Denning, S. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Dent, L.A., Strath, M., Mellor, A.L., and Sanderson, C.J. Eosinophilia in transgenic mice expressing interleukin 5. 1425.
De Plaen, E. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
de Preval, C. *See* Essaket, Fabron, de Preval, and Thomsen.

D'Errico, A. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Devos, R. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
de Vries, J.E. *See* Gauchat, Lebman, Coffman, Gascan, and de Vries.
de Vries, R.R.P. *See* Bontrop, Elferink, Otting, Jonker, and de Vries.
De Weck, A.L. *See* Bischoff, Brunner, De Weck, and Dahinden.
Dianda, L. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Dieffenbach, C. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.
Dijkstra, C.D. *See* Huitinga, van Rooijen, de Groot, Uitdehaag, and Dijkstra.
Di Tommaso, A. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Diverio, D. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Dixon, F.J. *See* Duchosal, McConahey, Robinson, and Dixon.
Doherty, P.C. *See* Carding, Allan, Kyes, Hayday, Bottomly, and Doherty.
Donachie, S. *See* Blackman, Heidrich, Donachie, McBride, and Holder.
Donckers, D. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Donti, E. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Dorval, I. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Dougherty, J.P. *See* Flood, Dougherty, and Ron.
Druilhe, P. *See* Bouharoun-Tayoun, Attanath, Sabchareon, Chongsuphajaisiddhi, and Druilhe.
Dubois, C.M., Ruscetti, F.W., Palaszynski, E.W., Falk, L.A., Oppenheim, J.J., and Keller, J.R. Transforming growth factor β is a potent inhibitor of interleukin 1 (IL-1) receptor expression: proposed mechanism of inhibition of IL-1 action. 737.
Duchosal, M.A., McConahey, P.J., Robinson, C.A., and Dixon, F.J. Transfer of human systemic lupus erythematosus in severe combined immunodeficient (SCID) mice. 985.
Duh, E. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Dunn, D.L. *See* Kaufman, Platt, Rabe, Dunn, Bach, and Sutherland.
Dveksler, G. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.

E

Eaves, C.J. *See* Lansdorp, Sutherland, and Eaves.
Edman, U., Meraz, M.A., Rausser, S., Agabian, N., and Meza, I. Characterization of an immuno-dominant variable surface antigen from pathogenic and nonpathogenic *Entamoeba histolytica*. 879.
Ehrenreich, H., Anderson, R.W., Fox, C.H., Rieckmann, P., Hoffman, G.S., Travis, W.D., Coligan, J.E., Kehrl, J.H., and Fauci, A.S. Endothelins, peptides with potent vasoactive properties, are produced by human macrophages. 1741.
Einerhand, M.P.W. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, van Bekkum, and Valerio.
Eisen, H. *See* Kahn, Van Voorhis, and Eisen.
Eldridge, J. *See* Mountz, Zhou, Eldridge, Berry, and Blüthmann.
Elferink, D. G. *See* Bontrop, Elferink, Otting, Jonker, and de Vries.
Eling, W.M.C. *See* Curfs, van der Meer, Sauerwein, and Eling.
Eljaafari, A., Vaquero, C., Teillaud, J.L., Bismuth, G., Hivroz, C., Dorval, I., Bernard, A., and Sterkers, G. Helper or cytolytic functions can be selectively induced in bifunctional T cell clones. 213.
Elovic, A. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Elstrom, R.L. *See* Villablanca, Anderson, Moseley, Law, Elstrom, and LeBien.
El-Zaatari, F. *See* Gur, El-Zaatari, Geppert, Wacholtz, Taurog, and Lipsky.
Engleman, E.G. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.
Espevik, T. *See* Shalaby, Sundan, Loetscher, Brockhaus, Lesslauer, and Espevik.
Essaket, S., Fabron, J., de Preval, C., and Thomsen, M. Corecognition of HLA-A1 and HLA-DPw3 by a human CD4$^+$ alloreactive T lymphocyte clone. 387.
Estess, P. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Evans, G. *See* Perlman, Evans, and Afifi.
Evans, K.S. *See* Karr, Yu, Watts, Evans, and Celis.
Ezekowitz, R.A.B., Sastry, K., Bailly, P., and Warner, A. Molecular characterization of the human macrophage mannose receptor: demonstration of multiple carbohydrate recognition-like domains and phagocytosis of yeasts in Cos-1 cells. 1785.

F

Faas, S.J. *See* Korostoff, Nakada, Faas, Blank, and Gaulton.
Fabre, M. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
Fabron, J. *See* Essaket, Fabron, de Preval, and Thomsen.
Faché, I. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
Falk, L.A. *See* Dubois, Ruscetti, Palaszynski, Falk, Oppenheim, and Keller.
Famillетti, P.C. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Famillетti, Pan, Olander, Connolly, and Stern.
Farr, A. *See* Reardon, Lefrancois, Farr, Kubo, O'Brien, and Born.
Fathman, C.G. *See* Danska, Livingstone, Paragas, Ishihara, and Fathman.
Fathman, C.G. *See* Guidos, Danska, Fathman, and Weissman.
Fathman, G. *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Fauci, A.S. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Fauci, A.S. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
Feeney, A.J. Lack of N regions in fetal and neonatal mouse immunoglobulin V-D-J junctional sequences. 1377.
Feinberg, M.B. *See* Pomerantz, Feinberg, Trono, and Baltimore.
Fernandez-Madrid, I. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Fernsten, P. *See* Mimura, Fernsten, Jarjour, and Winfield.
Ferrini, S. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta. Specific recognition of human CD3$^-$ CD16$^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
Fiers, W. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
Figari, I.S. *See* Wallick, Figari, Morris, Levinson, and Palladino.
Fink, P.J., Blair, M.J., Matis, L.A., and Hedrick, S.M. Molecular analysis of the influences of positive selection, tolerance induction, and antigen presentation on the T cell receptor repertoire. 139.
Finkelman, F.D. *See* Le Gros, Ben-Sasson, Seder, Finkelman, and Paul.
Fiore, S., and Serhan, C.N. Formation of lipoxins and leukotrienes during receptor-mediated interactions of human platelets and recombinant human granulocyte/macrophage colony-stimulating factor-primed neutrophils. 1451.
Fischer, A.C., and Hess, A.D. Age-related factors in cyclosporine-induced syngeneic graft-versus-host disease: regulatory role of marrow-derived T lymphocytes. 85.
Fischetti, V.A. *See* Bessen and Fischetti.
Fischkoff, S. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
Flament, C. *See* Mami-Chouaib, Miossec, Del Porto, Flament, Triebel, and Hercend.
Flood, P.M., Dougherty, J.P., and Ron, Y. Inhibition of Ly-6A antigen expression prevents T cell activation. 115.
Fong, K.Y. *See* Botto, Fong, So, Koch, and Walport.
Fontana, A. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Forni, G. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.
Fox, C.H. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
Fox, J.W. *See* Arruda, Platts-Mills, Fox, and Chapman.

Frangione, B. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Frati, L. *See* Testi, Pulcinelli, Frati, Gazzaniga, and Santoni.
Frei, K. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Frelinger, J.A., Gotch, F.M., Zweerink, H., Wain, E., and McMichael, A.J. Evidence of widespread binding of HLA class I molecules to peptides. 827.
Friedman, R.M. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.
Fry, A.M. *See* Rellahan, Jones, Kruisbeek, Fry, and Matis.
Fu, S.M. *See* Jabara, Fu, Geha, and Vercelli.
Fu, Y. *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.
Fuchs, D. *See* Werner-Felmayer, Werner, Fuchs, Hausen, Reibnegger, and Wachter.
Fujiwara, H. *See* Kitagawa, Sato, Hori, Hamaoka, and Fujiwara.
— *See* Kosaka, Matsubara, Sogoh, Ogata, Hamaoka, and Fujiwara.
Funderud, S. *See* Stamenkovic, Asheim, Deggerdal, Blomhoff, Smeland, and Funderud.

G

Gabay, J.E. *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.
Galindo, J.E. *See* Pauza, Galindo, and Richman.
Gallagher, G.T. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Gallegos, C. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
Galli, S.J. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Gansbacher, B., Zier, K., Daniels, B., Cronin, K., Bannerji, R., and Gilboa, E. Interleukin 2 gene transfer into tumor cells abrogates tumorigenicity and induces protective immunity. 1217.
Gascan, H. *See* Gauchat, Lebman, Coffman, Gascan, and de Vries.
Gauchat, J.F., Lebman, D.A., Coffman, R.L., Gascan, H., and de Vries, J.E. Structure and expression of germline ϵ transcripts in human B cells induced by interleukin 4 to switch to IgE production. 463.
Gaudry, M. *See* Bourgoin, Plante, Gaudry, Naccache, Borgeat, and Poubelle.
Gaulton, G.N. *See* Korostoff, Nakada, Faas, Blank, and Gaulton.
Gazzaniga, P.P. *See* Testi, Pulcinelli, Frati, Gazzaniga, and Santoni.
Gearhart, P.J. *See* Lebecque and Gearhart.
Gefter, M.L. *See* Wysocki, Gefter, and Margolies.
Geha, R.S. *See* Jabara, Fu, Geha, and Vercelli.
— *See* Mourad, Geha, and Chatila.
Gelfand, E.W. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
Gendelman, H.E., Friedman, R.M., Joe, S., Baca, L.M., Turpin, J.A., Dveksler, G., Meltzer, M.S., and Dieffenbach, C. A selective defect of interferon α production in human immunodeficiency virus–infected monocytes. 1433.
Geppert, T.D. *See* Gur, El-Zaatari, Geppert, Wacholtz, Taurog, and Lipsky.
Gerhard, W. *See* Taylor, Haberman, Gerhard, and Caton.
Gerlach, H. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Gerlach, M. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Ghiso, J. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Gilboa, E. *See* Gansbacher, Zier, Daniels, Cronin, Bannerji, and Gilboa.
Gimpel, S. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
— *See* Maliszewski, March, Schoenborn, Gimpel, and Shen.
Gleich, G.J. *See* Rohrbach, Wheatley, Slifman, and Gleich.
Go, N.F., Castle, B.E., Barrett, R., Kastelein, R., Dang, W., Mosmann, T.R., Moore, K.W., and Howard, M. Interleukin 10, a novel B cell stimulatory factor: unresponsiveness of X chromosome–linked immunodeficiency B cells. 1625.
Gomard, E. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot, and Lévy.
Gosselin, E.J. *See* Warmerdam, van de Winkel, Gosselin, and Capel.
Gotch, F.M. *See* Frelinger, Gotch, Zweerink, Wain, and McMichael.
Gracie, J.A., Bolton, E.M., Porteous, C., and Bradley, J.A. T cell requirements for the rejection of renal allografts bearing an isolated class I MHC disparity. 1547.
Granelli-Piperno, A., Nolan, P., Inaba, K., and Steinman, R.M. The effect of immunosuppressive agents on the induction of nuclear factors that bind to sites on the interleukin 2 promoter. 1869.
Gräning, G. *See* Laker, Gräning, Kelso, Stocking, and Ostertag.
Gras-Masse, H. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Grau, G.E., Frei, K., Piguet, P.-F., Fontana, A., Heremans, H., Billiau, A., Vassalli, P., and Lambert, P.-H. Interleukin 6 production in experimental cerebral malaria: modulation by anticytokine antibodies and possible role in hypergammaglobulinemia. 1505.
Green, F. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.
Greenberg, S., Burridge, K., and Silverstein, S.C. Colocalization of F-actin and talin during Fc receptor–mediated phagocytosis in mouse macrophages. 1853.
Gregory, T. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
Grell, M. *See* Thoma, Grell, Pfizenmaier, and Scheurich.
Griffo, W. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Grignani, F. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Grimminger, F., Thomas, M., Obernitz, R., Walmrath, D., Bhakdi, S., and Seeger, W. Inflammatory lipid mediator generation elicited by viable hemolysin-forming *Escherichia coli* in lung vasculature. 1115.
Gross, M. *See* Aggarwal, Kumar, Jaffe, Hone, Gross, and Sadoff.
Grossman, D., Cook, R.G., Sparrow, J.T., Mollick, J.A., and Rich, R.R. Dissociation of the stimulatory activities of staphylococcal enterotoxins for T cells and monocytes. 1831.
Gruart, V. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron.
Grunnet, M.L. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.
Grzych, J.-M. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Guardiola, J. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-CD16$^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
Guidos, C.J., Danska, J.S., Fathman, C.G., and Weissman, I.L. T cell receptor-mediated negative selection of autoreactive T lymphocyte precursors occurs after commitment to the CD4 or CD8 lineages. 835.
Gur, H., El-Zaatari, F., Geppert, T.D., Wacholtz, M.C., Taurog, J.D., and Lipsky, P.E. Analysis of T cell signaling by class I MHC molecules: the cytoplasmic domain is not required for signal transduction. 1267.

H

Haberman, A.M. *See* Taylor, Haberman, Gerhard, and Caton.
Hackett, J., Jr., Rogerson, B.J., O'Brien, R.L., and Storb, U. Analysis of somatic mutations in κ transgenes. 131.
Hála, K. *See* Penninger, Hála, and Wick.
Haltia, M. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Hamaoka, T. *See* Kitagawa, Sato, Hori, Hamaoka, and Fujiwara.
— *See* Kosaka, Matsubara, Sogoh, Ogata, Hamaoka, and Fujiwara.
Hamasima, N. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Han, J., Thompson, P., and Beutler, B. Dexamethasone and pentoxifylline inhibit endotoxin-induced cachectin/tumor necrosis factor synthesis at separate points in the signaling pathway. 391.
Hank, J.A. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Hankins, D.F. *See* Larsen, Steinman, Witmer-Pack, Hankins, Morris, and Austyn.
Hansen, E.J. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
Hansen, J.A. *See* Anasetti, Tan, Hansen, and Martin.

Hanson, J. *See* Nickerson, Hanson, and David.
Hara, T. *See* Seya, Hara, Matsumoto, Sugita, and Akedo.
Hardy, K.J. *See* Chrivia, Wedrychowicz, Young, and Hardy.
Hardy, R.R. *See* Carmack, Shinton, Hayakawa, and Hardy.
Hardy, R.R. *See* Hayakawa, Carmack, Hyman, and Hardy.
Harlan, J. M. *See* Kovach, Yee, Munford, Raetz, and Harlan.
Harmsen, A.G., and Stankiewicz, M. Requirement for $CD4^+$ cells in resistance to *Pneumocystis carinii* pneumonia in mice. 937.
Harrison, D.E., Stone, M., and Astle, C.M. Effects of transplantation on the primitive immunohematopoietic stem cell. 431.
Hata, S. *See* Nomura, Hata, and Kusafuka.
Hausen, A. *See* Werner-Felmayer, Werner, Fuchs, Hausen, Reibnegger, and Wachter.
Hayakawa, K., Carmack, C.E., Hyman, R., and Hardy, R.R. Natural autoantibodies to thymocytes: origin, V_HH genes, fine specificities, and the role of Thy-1 glycoprotein. 869.
— *See* Carmack, Shinton, Hayakawa, and Hardy.
Hayday, A. *See* Carding, Allan, Kyes, Hayday, Bottomly, and Doherty.
Hayes, S.F. *See* Pincus, Wehrly, Tschachler, Hayes, Buller, and Reitz.
Haynes, B.F. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Healey, D., Dianda, L., Moore, J.P., McDougal, J.S., Moore, M.J., Estess, P., Buch, D., Kwong, P.D., Beverley, P.C.L., and Sattentau, Q.J. Novel anti-CD4 monoclonal antibodies separate human immunodeficiency virus infection and fusion of $CD4^+$ cells from virus binding. 1233.
Hedrick, S.M. *See* Fink, Blair, Matis, and Hedrick.
Heeg, K., and Wagner, H. Induction of peripheral tolerance to class I major histocompatibility complex (MHC) alloantigens in adult mice: transfused class I MHC–incompatible splenocytes veto clonal responses of antigen-reactive Lyt-2^+ T cells. 719.
Heidrich, H.-G. *See* Blackman, Heidrich, Donachie, McBride, and Holder.
Herberman, R.B. *See* van den Brink, Boggs, Herberman, and Hiserodt.
Hercend, T. *See* Mami-Chouaib, Miossec, Del Porto, Flament, Triebel, and Hercend.
Heremans, H. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Herman, A., Croteau, G., Sekaly, R.-P., Kappler, J., and Marrack, P. HLA-DR alleles differ in their ability to present staphylococcal enterotoxins to T cells. 709.
Heslop, H.E., Bianchi, A.C.M., Cordingley, F.T., Turner, M., De Mel, W.C.P., Hoffbrand, A.V., and Brenner, M.K. Effects of interferon α on autocrine growth factor loops in B lymphoproliferative disorders. 1729.
Hess, A.D. *See* Fischer and Hess.
Heufler, C. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Heusser, C. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Heyman, B., Wiersma, E.J., and Kinoshita, T. In vivo inhibition of the antibody response by a complement receptor-specific monoclonal antibody. 665.
Hibbs, M.L. *See* Wardlaw, Hibbs, Stacker, and Springer.
Himeno, K. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.
Hirai, K., Yamaguchi, M., Misaki, Y., Takaishi, T., Ohta, K., Morita, Y., Ito, K., and Miyamoto, T. Enhancement of human basophil histamine release by interleukin 5. 1525.
Hiserodt, J.C. *See* van den Brink, Boggs, Herberman, and Hiserodt.
Hivroz, C. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Ho, A.S.Y., Mietzner, T.A., Smith, A.J., and Schoolnik, G.K. The pili of *Aeromonas hydrophila*: identification of an environmentally regulated "mini pilin". 795.
Ho, I.-C., and Leiden, J.M. The $T\alpha 2$ nuclear protein binding site from the human T cell receptor α enhancer functions as both a T cell–specific transcriptional activator and repressor. 1443.
Ho, P.T. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.
Hodes, R.J. *See* Vacchio, Ryan, and Hodes.
Hoffbrand, A.V. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Hoffman, G.S. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
Hofstetter, H. *See* Letellier, Nakajima, Pulido-Cejudo, Hofstetter, and Delespesse.
Holder, A. A. *See* Blackman, Heidrich, Donachie, McBride, and Holder.
Holroyd, K.J. *See* Tamura, Holroyd, Banks, Kirby, Okayama, and Crystal.
Hone, D. *See* Aggarwal, Kumar, Jaffe, Hone, Gross, and Sadoff.
Hori, S. *See* Kitagawa, Sato, Hori, Hamaoka, and Fujiwara.
Horwitz, M.A. *See* Bellinger-Kawahara and Horwitz.
Houchins, J.P. *See* Yabe, McSherry, Bach, and Houchins.
Houghten, R. *See* Huff, Roos, Peebles, Houghten, Sullivan, and Tan.
Howard, M. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Howard, T.A. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Huber, B.T. *See* Muñoz, Zubiaga, Merrow, Sauter, and Huber.
Huff, J.P., Roos, G., Peebles, C.L., Houghten, R., Sullivan, K.F., and Tan, E.M. Insights into native epitopes of proliferating cell nuclear antigen using recombinant DNA protein products. 419.
Hugo, F. *See* Seifert, Hugo, Tranum-Jensen, Zähringer, Muhly, and Bhakdi.
Hugo, P. *See* Petrie, Hugo, Scollay, and Shortman.
Huitinga, I., van Rooijen, N., de Groot, C.J.A., Uitdehaag, B.M.J., and Dijkstra, C.D. Suppression of experimental allergic encephalomyelitis in Lewis rats after elimination of macrophages. 1025.
Humphries, M.J. *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Hyman, R. *See* Hayakawa, Carmack, Hyman, and Hardy.

I

Inaba, K., Metlay, J.P., Crowley, M.T., and Steinman, R.M. Dendritic cells pulsed with protein antigens in vitro can prime antigen-specific, MHC-restricted T cells in situ. 631.
— *See* Crowley, Inaba, and Steinman.
— *See* Granelli-Piperno, Nolan, Inaba, and Steinman.
— *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Ishida, Y. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.
Ishihara, T. *See* Danska, Livingstone, Paragas, Ishihara, and Fathman.
Ito, K. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Itohara, S. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Izumi, K.M., and Stevens, J.G. Molecular and biological characterization of a herpes simplex virus type 1 (HSV-1) neuroinvasiveness gene. 487.
Izumi, K. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.

J

Jabara, H.H., Fu, S.M., Geha, R.S., and Vercelli, D. CD40 and IgE: synergism between anti-CD40 monoclonal antibody and interleukin 4 in the induction of IgE synthesis by highly purified human B cells. 1861.
Jafari, H. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
Jaffe, R. *See* Aggarwal, Kumar, Jaffe, Hone, Gross, and Sadoff.
Janeway, C.A. *See* Liu and Janeway.
Jaraquemada, D., Marti, M., and Long, E.O. An endogenous processing pathway in vaccinia virus–infected cells for presentation of cytoplasmic antigens to class II–restricted T cells. 947.
Jardim, A., Alexander, J., Teh, H.S., Ou, D., and Olafson, R.W. Immunoprotective *Leishmania major* synthetic T cell epitopes. 645.
Jarjour, W., Mizzen, L.A., Welch, W.J., Denning, S., Shaw, M., Mimura, T., Haynes, B.F., and Winfield, J.B. Constitutive expression of a groEL-related protein on the surface of human γ/δ cells. 1857.
— *See* Mimura, Fernsten, Jarjour, and Winfield.
Jeang, K.-T. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Jefferies, W.A., and Burgert, H.-G. E3/19K from adenovirus 2 is an immunosubversive protein that binds to a structural motif regulating the

intracellular transport of major histocompatibility complex class I proteins. 1653.
Jin, Y.-J. *See* Clayton, Bauer, Jin, D'Adamio, Koyasu, and Reinherz.
Job, C.K. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Joe, S. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.
Johnston, G.I. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Jones, J. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Jones, L.A., Chin, T., Merriam, G.R., Nelson, L.M., and Kruisbeck, A.M. Failure of clonal deletion in neonatally thymectomized mice: tolerance is preserved through clonal anergy. 1277.
— *See* Rellahan, Jones, Kruisbeek, Fry, and Matis.
Jones, R.W. *See* Ratcliffe, Jones, Phillips, Nicholls, and Bell.
Jonker, M. *See* Bontrop, Elferink, Otting, Jonker, and de Vries.
Justement, J.S. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.

K

Kahn, S., Van Voorhis, W.C., and Eisen, H. The major 85-kD surface antigen of the mammalian form of *Trypanosoma cruzi* is encoded by a large heterogeneous family of simultaneously expressed genes. 589.
Kalled, S.L., and Brodeur, P.H. Preferential rearrangement of Vκ4 gene segments in pre-B cell lines. 559.
Kämpgen, E. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Kanegane, H. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Kaneshima, H. *See* Namikawa, Weilbaecher, Kaneshima, Yee, and McCune.
Kang, A.H. *See* Watson, Thompson, Terato, Cremer, and Kang.
Kaplan, G. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Kappler, J. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
— *See* Herman, Croteau, Sekaly, Kappler, and Marrack.
Karasuyama, H., Kudo, A., and Melchers, F. The proteins encoded by the V_{preB} and λ_5 pre-B cell-specific genes can associate with each other and with μ heavy chain. 969.
Karr, R.W., Yu, W., Watts, R., Evans, K.S., and Celis, E. The role of polymorphic HLA-DRβ chain residues in presentation of viral antigens to T cells. 273.
Karupiah, G., Blanden, R.V., and Ramshaw, I.A. Interferon γ is involved in the recovery of athymic nude mice from recombinant vaccinia virus/interleukin 2 infection. 1495.
Kasahara, Y., Miyawaki, T., Kato, K., Kanegane, H., Yachie, A., Yokoi, T., and Taniguchi, N. Role of interleukin 6 for differential responsiveness of naive and memory $CD4^+$ T cells in CD2-mediated activation. 1419.
Kastelein, R. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Kato, K. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Kaufman, D.B., Platt, J.L., Rabe, F.L., Dunn, D.L., Bach, F.H., and Sutherland, D.E.R. Differential roles of Mac-1^+ cells, and $CD4^+$ and $CD8^+$ T lymphocytes in primary nonfunction and classic rejection of islet allografts. 291.
Kawabe, Y., and Ochi, A. Selective anergy of $V\beta8^+$, $CD4^+$ T cells in Staphylococcus enterotoxin B-primed mice. 1065.
Kawasaki, A. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.
Keenan, K.F. *See* Rosen, Keenan, Thelen, Nairn, and Aderem.
Kehrl, J.H. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Kehrl, J.H. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
Keller, J.R. *See* Dubois, Ruscetti, Palaszynski, Falk, Oppenheim, and Keller.
Kelso, A. *See* Laker, Gräning, Kelso, Stocking, and Ostertag.
Khalife, J., Grzych, J.-M, Pierce, R., Ameisen, J.-C., Schacht, A.-M., Gras-Masse, H., Tartar, A., Lecocq, J.-P., and Capron, A. Immunological crossreactivity between the human immunodeficiency virus type 1 virion infectivity factor and a 170-kD surface antigen of *Schistosoma mansoni*. 1001.
Kikuchi, K. *See* Yorimoto, Kinebuchi, Matsuura, Kikuchi, and Uede.
Killion, C.C. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.
Kim, K.Y. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Kim, S.-J., Kehrl, J.H., Burton, J., Tendler, C.L., Jeang, K.-T., Danielpour, D., Thevenin, C., Kim, K.Y., Sporn, M.B., and Roberts, A.B. Transactivation of the transforming growth factor β1 (TGF-β1) gene by human T lymphotropic virus type 1 tax: a potential mechanism for the increased production of TGF-β1 in adult T cell leukemia. 121.
Kincade, P.W. *See* Miyake, Underhill, Lesley, and Kincade.
Kindler, V. *See* Ody, Kindler, and Vassalli.
Kinebuchi, M. *See* Yorimoto, Kinebuchi, Matsuura, Kikuchi, and Uede.
Kingsmore, S.F. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Kinoshita, T. *See* Heyman, Wiersma, and Kinoshita.
Kinter, A. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Kirby, M. *See* Tamura, Holroyd, Banks, Kirby, Okayama, and Crystal.
Kirk, D. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.
Kirnbauer, R. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.
Kirsch, I.R. *See* Lipkowitz, Stern, and Kirsch.
Kitagawa, S., Sato, S., Hori, S., Hamaoka, T., and Fujiwara, H. Induction of anti-allo-class I H-2 tolerance by inactivation of $CD8^+$ helper T cells, and reversal of tolerance through introduction of third-party helper T cells. 105.
Klebanoff, S.J., and Waltersdorph, A.M. Prooxidant activity of transferrin and lactoferrin. 1293.
Koch, C. *See* Botto, Fong, So, Koch, and Walport.
Koch, F. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Köck, A., Schwarz, T., Kirnbauer, R., Urbanski, A., Perry, P., Ansel, J.C., and Luger, T.A. Human keratinocytes are a source for tumor necrosis factor α: evidence for synthesis and release upon stimulation with endotoxin or ultraviolet light. 1609.
Koivunen, O. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Kolhekar, S.R. *See* Matloubian, Somasundaram, Kolhekar, Selvakumar, and Ahmed.
Komoriya, A. *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Korostoff, J.M., Nakada, M.T., Faas, S.J., Blank, K.J., and Gaulton, G.N. Neonatal exposure to thymotropic gross murine leukemia virus induces virus-specific immunologic nonresponsiveness. 1765.
Kosaka, H., Matsubara, H., Sogoh, S., Ogata, M., Hamaoka, T., and Fujiwara, H. An in vitro model for cyclosporin A–induced interference of intrathymic clonal elimination. 395.
Kotb, M. *See* Tomai, Kotb, Majumdar, and Beachey.
Kotzin, B.L. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
Kovach, N.L., Yee, E., Munford, R.S., Raetz, C.R.H., and Harlan, J.M. Lipid IV_A inhibits synthesis and release of tumor necrosis factor induced by lipopolysaccharide in human whole blood ex vivo. 77.
Koyasu, S. *See* Clayton, Bauer, Jin, D'Adamio, Koyasu, and Reinherz.
Krangel, M.S., Yssel, H., Brocklehurst, C., and Spits, H. A distinct wave of human T cell receptor γ/δ lymphocytes in the early fetal thymus: evidence for controlled gene rearrangement and cytokine production. 847.
Kruisbeck, A.M. *See* Jones, Chin, Merriam, Nelson, and Kruisbeck.
Kruisbeek, A.M. *See* Rellahan, Jones, Kruisbeek, Fry, and Matis.
Kubagawa, H. *See* Ohno, Kubagawa, Sanders, and Cooper.
Kubo, R. *See* Reardon, Lefrancois, Farr, Kubo, O'Brien, and Born.
Kudo, A. *See* Karasuyama, Kudo, and Melchers.
Kukler, A. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, van Bekkum, and Valerio.
Kumagai, K. *See* Ohteki, Seki, Abo, and Kumagai.
Kumar, S. *See* Aggarwal, Kumar, Jaffe, Hone, Gross, and Sadoff.
Kurnick, J.T. *See* Scott, Pandolfi, and Kurnick.
Kusafuka, T. *See* Nomura, Hata, and Kusafuka.
Kwong, P.D. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch,

Kwong, Beverley, and Sattentau.
Kyes, S. *See* Carding, Allan, Kyes, Hayday, Bottomly, and Doherty.

L

Lachmann, P.J. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Lafferty, J.A. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
Laker, C., Gräning, G., Kelso, A., Stocking, C., and Ostertag, W. Abrogation of the requirement for feeder cell interaction and T cell receptor stimulation of lymphocytes infected with retroviral vectors. 447.
Lambert, P.-H. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Lansdorp, R.M., Sutherland, H.J., and Eaves, C.J. Selective expression of CD45 isoforms on functional subpopulations of $CD34^+$ hemopoietic cells from human bone marrow. 363.
Larrick, J.W. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.
Larsen, A., Davis, T., Curtis, B.M., Gimpel, S., Sims, J.E., Cosman, D., Park, L., Sorensen, E., March, C.J., and Smith, C.A. Expression cloning of a human granulocyte colony-stimulating factor receptor: a structural mosaic of hematopoietin receptor, immunoglobulin, and fibronectin domains. 1559.
Larsen, C.P., Steinman, R.M., Witmer-Pack, M., Hankins, D.F., Morris, P.J., and Austyn, J.M. Migration and maturation of Langerhans cells in skin transplants and explants. 1483.
Lassoued, K. *See* Courvalin, Lassoued, Worman, and Blobel.
Law, C.-L. *See* Villablanca, Anderson, Moseley, Law, Elstrom, and LeBien.
Le Beau, M.M. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Lebecque, S.G., and Gearhart, P.J. Boundaries of somatic mutation in rearranged immunoglobulin genes: 5' boundary is near the promoter, and 3' boundary is ~1 kb from V(D)J gene. 1717.
LeBien, T.W. *See* Villablanca, Anderson, Moseley, Law, Elstrom, and LeBien.
Lebman, D.A. *See* Gauchat, Lebman, Coffman, Gascan, and de Vries.
Lecocq, J.-P. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Leder, P. *See* Vasicek and Leder.
Lefrancois, L. *See* Reardon, Lefrancois, Farr, Kubo, O'Brien, and Born.
Le Gros, G., Ben-Sasson, S.Z., Seder, R., Finkelman, F.D., and Paul, W.E. Generation of interleukin 4 (IL-4)–producing cells in vivo and in vitro: IL-2 and IL-4 are required for in vitro generation of IL-4-producing cells. 921.
Leiden, J.M. *See* Ho and Leiden.
Lemons, R.S. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Lenz, A. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Leonard, W.J. *See* Napolitano, Seamon, and Leonard.
Lesley, J. *See* Miyake, Underhill, Lesley, and Kincade.
Lesslauer, W. *See* Shalaby, Sundan, Loetscher, Brockhaus, Lesslauer, and Espevik.
Letellier, M., Nakajima, T., Pulido-Cejudo, G., Hofstetter, H., and Delespesse, G. Mechanism of formation of human IgE-binding factors (soluble CD23): III. Evidence for a receptor (FcεRII)-associated proteolytic activity. 693.
Leu, T. *See* Palacios, Samaridis, Thorpe, and Leu.
Levinson, A.D. *See* Wallick, Figari, Morris, Levinson, and Palladino.
Levis, W. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Lévy, E., Haltia, M., Fernandez-Madrid, I., Koivunen, O., Ghiso, J., Prelli, F., and Frangione, B. Mutation in gelsolin gene in Finnish hereditary amyloidosis. 1865.
Lévy, J.P. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot, and Lévy.
Lieberman, A.P., Pitha, P.M., and Shin, M.L. Protein kinase regulates tumor necrosis factor mRNA stability in virus-stimulated astrocytes. 989.
Liew, F.Y., Millott, S.M., and Schmidt, J.A. A repetitive peptide of *Leishmania* can activate T helper type 2 cells and enhance disease progression. 1359.
Limaye, A.P., Abrams, J.S., Silver, J.E., Ottesen, E.A., and Nutman, T.B. Regulation of parasite-induced eosinophilia: selectively increased interleukin 5 production in helminth-infected patients. 399.
Lingenheld, E.G. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.
Lipkowitz, S., Stern, M.-H., and Kirsch, I.R. Hybrid T cell receptor genes formed by interlocus recombination in normal and ataxia-telangiectasia lymphocytes. 409.
Lipscomb, M.F. *See* Pollard and Lipscomb.
Lipsky, P.E. *See* Thiele and Lipsky.
Lipsky, P.E. *See* Gur, El-Zaatari, Geppert, Wacholtz, Taurog, and Lipsky.
Liu, L.X., Serhan, C.N., and Weller, P.F. Intravascular filarial parasites elaborate cyclooxygenase-derived eicosanoids. 993.
Liu, Y., and Janeway, C.A., Jr. Interferon γ plays a critical role in induced cell death of effector T cell: a possible third mechanism of self-tolerance. 1735.
Livingstone, A.M. *See* Danska, Livingstone, Paragas, Ishihara, and Fathman.
Lo Coco, F. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Loetscher, H. *See* Shalaby, Sundan, Loetscher, Brockhaus, Lesslauer, and Espevik.
Long, E.O. *See* Jaraquemada, Marti, and Long.
Longo, A. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-$CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
Longo, L., Pandolfi, P.P., Biondi, A., Rambaldi, A., Mencarelli, A., Lo Coco, F., Diverio, D., Pegoraro, L., Avanzi, G., Tabilio, A., Zangrilli, D., Alcalay, M., Donti, E., Grignani, F., and Pelicci, P.G. Rearrangements and aberrant expression of the retinoic acid receptor α gene in acute promyelocytic leukemias. 1571.
Lucich, J. *See* Chang, Moingeon, Pedersen, Lucich, Stebbins, and Reinherz.
Luger, T.A. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.

M

Maccari, J. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
MacDonald, H.R. *See* Speiser, Chvatchko, Zinkernagel, and MacDonald.
Madrigal, A. *See* Chen, Madrigal, and Parham.
Mafune, K. *See* Takahashi, Mafune, and Maki.
Majumdar, G. *See* Tomai, Kotb, Majumdar, and Beachey.
Maki, T. *See* Takahashi, Mafune, and Maki.
Malhotra, R., Thiel, S., Reid, K.B.M., and Sim, R.B. Human leukocyte C1q receptor binds other soluble proteins with collagen domains. 955.
Maliszewski, C.R., March, C.J., Schoenborn, M.A., Gimpel, S., and Shen, L. Expression cloning of a human Fc receptor for IgA. 1665.
Mallardo, M. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.
Mami-Chouaib, F., Miossec, C., Del Porto, P., Flament, C., Triebel, F., and Hercend, T. T cell target 1 (TCT.1): a novel target molecule for human non-major histocompatibility complex–restricted T lymphocytes. 1071.
March, C.J. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
— *See* Maliszewski, March, Schoenborn, Gimpel, and Shen.
Margolies, M.N. *See* Wysocki, Gefter, and Margolies.
Marrack, P. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
— *See* Herman, Croteau, Sekaly, Kappler, and Marrack.
Marsden, P.A., and Ballermann, B.J. Tumor necrosis factor α activates soluble guanylate cyclase in bovine glomerular mesangial cells via an L-arginine–dependent mechanism. 1843.
Marshall, J.D. *See* Allen, Marshall, Roths, and Sidman.
Marsili, I. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Marti, M. *See* Jaraquemada, Marti, and Long.
Martin, P.J. *See* Anasetti, Tan, Hansen, and Martin.
Martínez-A, C. *See* Bárcena, Toribio, Pezzi, and Martínez-A.
Martinon, F. *See* Choppin, Martinon, Gomard, Bahraoui, Connan, Bouillot,

and Lévy.
Maryanski, J.L. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
Mason, D. *See* Powrie and Mason.
Mathison, R. *See* Ramaswamy, Mathison, Carter, Kirk, Green, Davison, and Befus.
Matis, L.A. *See* Fink, Blair, Matis, and Hedrick.
Matis, L.A. *See* Rellahan, Jones, Kruisbeek, Fry, and Matis.
Matloubian, M., Somasundaram, T., Kolhekar, S.R., Selvakumar, R., and Ahmed, R. Genetic basis of viral persistence: single amino acid change in the viral glycoprotein affects ability of lymphocytic choriomeningitis virus to persist in adult mice. 1043.
Matossian, K. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Matsubara, H. *See* Kosaka, Matsubara, Sogoh, Ogata, Hamaoka, and Fujiwara.
Matsumoto, K. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.
Matsumoto, M. *See* Seya, Hara, Matsumoto, Sugita, and Akedo.
Matsuura, A. *See* Yorimoto, Kinebuchi, Matsuura, Kikuchi, and Uede.
Matthews, T. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
McBride, J.S. *See* Blackman, Heidrich, Donachie, McBride, and Holder.
McBride, J. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
McCarty, M. The journal prepares for its second century. 1.
McClain, J. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
McConahey, P.J. *See* Duchosal, McConahey, Robinson, and Dixon.
McCracken, G.H., Jr. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
McCune, J.M. *See* Namikawa, Weilbaecher, Kaneshima, Yee, and McCune.
McDanal, C. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
McDougal, J.S. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
McEver, R.P. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
McGlave, P. *See* Verfaillie, Blakolmer, and McGlave.
McGrath, K.M. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.
McMichael, A.J. *See* Frelinger, Gotch, Zweerink, Wain, and McMichael.
McMillan, M. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.
McSherry, C. *See* Yabe, McSherry, Bach, and Houchins.
Melchers, F. *See* Karasuyama, Kudo, and Melchers.
Melchior, M. *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.
Mellor, A.L. *See* Dent, Strath, Mellor, and Sanderson.
Meltzer, M.S. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.
Mencarelli, A. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Meraz, M.A. *See* Edman, Meraz, Rausser, Agabian, and Meza.
Meri, S., Morgan, B.P., Wing, M., Jones, J., Davies, A., Podack, E., and Lachmann, P.J. Human protectin (CD59), an 18–20-kD homologous complement restriction factor, does not restrict perforin-mediated lysis. 367.
Merli, A. *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Merriam, G.R. *See* Jones, Chin, Merriam, Nelson, and Kruisbeck.
Merrow, M. *See* Muñoz, Zubiaga, Merrow, Sauter, and Huber.
Mertsola, J. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
Metlay, J.P. *See* Inaba, Metlay, Crowley, and Steinman.
Meza, I. *See* Edman, Meraz, Rausser, Agabian, and Meza.
Mietzner, T.A. *See* Ho, Mietzner, Smith, and Schoolnik.
Millott, S.M. *See* Liew, Millott, and Schmidt.
Mimura, T., Fernsten, P., Jarjour, W., and Winfield, J.B. Autoantibodies specific for different isoforms of CD45 in systemic lupus erythematosus. 653.
— *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Mingari, M.C. *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.
Miossec, C. *See* Mami-Chouaib, Miossec, Del Porto, Flament, Triebel, and Hercend.
Misaki, Y. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Miyake, K., Underhill, C.B., Lesley, J., and Kincade, P.W. Hyaluronate can function as a cell adhesion molecule and CD44 participates in hyaluronate recognition. 69.
Miyamoto, T. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Miyawaki, T. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Mizzen, L.A. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Moingeon, P. *See* Chang, Moingeon, Pedersen, Lucich, Stebbins, and Reinherz.
Mollick, J.A. *See* Grossman, Cook, Sparrow, Mollick, and Rich.
Monden, M. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Moore, J.P. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Moore, K.W. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Moore, M.J. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Morasso, M.I. *See* Patarca, Wei, Singh, Morasso, and Cantor.
Moretta, A., Bottino, C., Pende, D., Tripodi, G., Tambussi, G., Viale, O., Orengo, A., Barbaresi, M., Merli, A., Ciccone, E., and Moretta, L. Identification of four subsets of human $CD3^-CD16^+$ natural killer (NK) cells by the expression of clonally distributed functional surface molecules: correlation between subset assignment of NK clones and ability to mediate specific alloantigen recognition. 1589.
— *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta. Specific recognition of human $CD3^-CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
Moretta, L. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta. Specific recognition of human $CD3^-CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
— *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.
Morgan, B. P. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Mori, T. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
— *See* Niinobu, Ogawa, Murata, Nishijima, and Mori.
Morimoto, C. *See* Dang, Torimoto, Schlossman, and Morimoto.
— *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Morita, Y. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Morris, P.J. *See* Larsen, Steinman, Witmer-Pack, Hankins, Morris, and Austyn.
Morris, R.E. *See* Wallick, Figari, Morris, Levinson, and Palladino.
Morrison, R.P. *See* Su, Morrison, Watkins, and Caldwell.
Moseley, M. *See* Villablanca, Anderson, Moseley, Law, Elstrom, and LeBien.
Moses, R.D., Pierson, R.N., III, Winn, H.J., and Auchincloss, H., Jr. Xenogenic proliferation and lymphokine production are dependent on $CD4^+$ helper T cells and self antigen-presenting cells in the mouse. 567.
Mosier, D.E. *See* Riggs, Stowers, and Mosier.
Mosmann, T.R. *See* Go, Castle, Barrett, Kastelein, Dang, Mosmann, Moore, and Howard.
Mota-Santos, T. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Mould, A.P. *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Mountz, J.D., Zhou, T., Eldridge, J., Berry, K., and Blüthmann, H. Transgenic rearranged T cell receptor gene inhibits lymphadenopathy and accumulation of $CD4^-CD8^-B220^+$ T cells in *lpr/lpr* mice. 1805.
Mourad, W., Geha, R.S., and Chatila, T. Engagement of major histocompatibility complex class II molecules induces sustained, lymphocyte function-associated molecule 1–dependent cell adhesion. 1513.
Muhly, M. *See* Seifert, Hugo, Tranum-Jensen, Zähringer, Muhly, and Bhakdi.
Munford, R. S. *See* Kovach, Yee, Munford, Raetz, and Harlan.

Munn, D.H., and Cheung, N.-K.V. Phagocytosis of tumor cells by human monocytes cultured in recombinant macrophage colony-stimulating factor. 231.

Muñoz, E., Zubiaga, A.M., Merrow, M., Sauter, N.P., and Huber, B.T. Cholera toxin discriminates between T helper 1 and 2 cells in T cell receptor–mediated activation: role of cAMP in T cell proliferation. 95.

Murata, A. *See* Niinobu, Ogawa, Murata, Nishijima, and Mori.

N

Naccache, P.H. *See* Bourgoin, Plante, Gaudry, Naccache, Borgeat, and Poubelle.

Nairn, A.C. *See* Rosen, Keenan, Thelen, Nairn, and Aderem.

Nakada, M.T. *See* Korostoff, Nakada, Faas, Blank, and Gaulton.

Nakajima, T. *See* Letellier, Nakajima, Pulido-Cejudo, Hofstetter, and Delespesse.

Nakata, M., Smyth, M.J., Norihisa, Y., Kawasaki, A., Shinkai, Y., Okumura, K., and Yagita, H. Constitutive expression of pore-forming protein in peripheral blood γ/δ T cells: implication for their cytotoxic role in vivo. 1877.

— *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.

Nakayama, E. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.

Namikawa, R., Weilbaecher, K.N., Kaneshima, H., Yee, E.J., and McCune, J.M. Long-term human hematopoiesis in the SCID-hu mouse. 1055.

Napolitano, M., Seamon, K.B., and Leonard, W.J. Identification of cell surface receptors for the Act-2 cytokine. 285.

Nariuchi, H. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.

Nathan, C., Squires, K., Griffo, W., Levis, W., Varghese, M., Job, C.K., Nusrat, A.R., Sherwin, S., Rappoport, S., Sanchez, E., Burkhardt, R.A., and Kaplan, G. Widespread intradermal accumulation of mononuclear leukocytes in lepromatous leprosy patients treated systemically with recombinant interferon γ. 1509.

— *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.

— *See* Porteu and Nathan.

Nelson, L.M. *See* Jones, Chin, Merriam, Nelson, and Kruisbeck.

Nencioni, L. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.

Nicholls, L.G. *See* Ratcliffe, Jones, Phillips, Nicholls, and Bell.

Nickerson, C.L., Hanson, J., and David, C.S. Expression of HLA-B27 in transgenic mice is dependent on the mouse H-2D genes. 1255.

Niinobu, T., Ogawa, M., Murata, A. Nishijima, J.-I., and Mori, T. Identification and characterization of receptors specific for human pancreatic secretory trypsin inhibitor. 1133.

Nishijima, J.-I. *See* Niinobu, Ogawa, Murata, Nishijima, and Mori.

Nojima, Y., Humphries, M.J., Mould, A.P., Komoriya, A., Yamada, K.M., Schlossman, S.F., and Morimoto, C. VLA-4 mediates CD3-dependent $CD4^+$ T cell activation via the CS1 alternatively spliced domain of fibronectin. 1185.

Nolan, P. *See* Granelli-Piperno, Nolan, Inaba, and Steinman.

Nomura, T., Hata, S., and Kusafuka, T. Suppression of developmental anomalies by maternal macrophages in mice. 1325.

Norihisa, Y. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.

Nusrat, A.R. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.

Nussenzweig, R.S. *See* Tsuji, Romero, Nussenzweig, and Zavala.

Nuti, S. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.

Nutman, T.B. *See* Limaye, Abrams, Silver, Ottesen, and Nutman.

O

Obata, Y. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.

Obernitz, R. *See* Grimminger, Thomas, Obernitz, Walmrath, Bhakdi, and Seeger.

O'Brien, R.L. *See* Hackett, Rogerson, O'Brien, and Storb.

O'Brien, R. *See* Reardon, Lefrancois, Farr, Kubo, O'Brien, and Born.

O'Brien, S.J. *See* Yuhki and O'Brien.

Ochi, A. *See* Kawabe and Ochi.

Ody, C., Kindler, V., and Vassalli, P. Interleukin 3 perfusion in W/W^v mice allows the development of macroscopic hematopoietic spleen colonies and restores cutaneous mast cell number. 403.

Ogata, M. *See* Kosaka, Matsubara, Sogoh, Ogata, Hamaoka, and Fujiwara.

Ogawa, M. *See* Niinobu, Ogawa, Murata, Nishijima, and Mori.

Ohkawara, S. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.

Ohno, T., Kubagawa, H., Sanders, S.K., and Cooper, M.D. Biochemical nature of an Fcμ receptor on human B-lineage cells. 1165.

Ohta, K. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.

Ohteki, T., Seki, S., Abo, T., and Kumagai, K. Liver is a possible site for the proliferation of abnormal $CD3^+$ 4–8- double-negative lymphocytes in autoimmune MRL-*lpr/lpr* mice. 7.

Oka, M. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.

Okayama, H. *See* Tamura, Holroyd, Banks, Kirby, Okayama, and Crystal.

Okumura, K. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.

Olafson, R.W. *See* Jardim, Alexander, Teh, Ou, and Olafson.

Olander, J.V. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.

Olsen, K.D. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.

Olson, C.A. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.

Oppenheim, J.J. *See* Dubois, Ruscetti, Palaszynski, Falk, Oppenheim, and Keller.

Orengo, A. *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.

Osame, M. *See* Watanabe, Yamaguchi, Takatsuki, Osame, and Yoshida.

Ostergaard, H.L., and Trowbridge, I.S. Coclustering CD45 with CD4 or CD8 alters the phosphorylation and kinase activity of $p56^{lck}$. 347.

Ostertag, W. *See* Laker, Gräning, Kelso, Stocking, and Ostertag.

Ottesen, E.A. *See* Limaye, Abrams, Silver, Ottesen, and Nutman.

Otting, N. *See* Bontrop, Elferink, Otting, Jonker, and de Vries.

Ou, D. *See* Jardim, Alexander, Teh, Ou, and Olafson.

P

Padula, S.J. *See* Ruddle, Bergman, McGrath, Lingenheld, Grunnet, Padula, and Clark.

Palacios, R., Samaridis, J., Thorpe, D., and Leu, T. Identification and characterization of pro-T lymphocytes and lineage-uncommitted lymphocyte precursors from mice with three novel surface markers. 219.

Palaszynski, E.W. *See* Dubois, Ruscetti, Palaszynski, Falk, Oppenheim, and Keller.

Palladino, M.A. *See* Wallick, Figari, Morris, Levinson, and Palladino.

Pan, Y.-C.E. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.

Pandolfi, F. *See* Scott, Pandolfi, and Kurnick.

Pandolfi, P.P. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.

Paolieri, F. *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.

Paragas, V. *See* Danska, Livingstone, Paragas, Ishihara, and Fathman.

Pardi, R. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.

Parham, P. *See* Chen, Madrigal, and Parham.

— *See* Chen, Rothbard, and Parham.

Park, L. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.

Patarca, R., Wei, F.-Y., Singh, P., Morasso, M.I., and Cantor, H. Dysregulated expression of the T cell cytokine *Eta-1* in $CD4^-8^-$ lymphocytes during the development of murine autoimmune disease. 1177.

Patzer, E. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter,

McDanal, and Matthews.
Paul, W.E. *See* Le Gros, Ben-Sasson, Seder, Finkelman, and Paul.
Pauza, C.D., Galindo, J.E., and Richman, D.D. Reinfection results in accumulation of unintegrated viral DNA in cytopathic and persistent human immunodeficiency virus type 1 infection of CEM cells. 1035.
Pedersen, R. *See* Chang, Moingeon, Pedersen, Lucich, Stebbins, and Reinherz.
Peebles, C.L. *See* Huff, Roos, Peebles, Houghten, Sullivan, and Tan.
Pegoraro, L. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Peiper, S.C. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.
Pelicci, P.G. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Pella, N. *See* Poggi, Biassoni, Pella, Paolieri, Bellomo, Bertolini, Moretta, and Mingari.
Pende, D. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-$CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Penninger, J., Hála, K., and Wick, G. Intrathymic nurse cell lymphocytes can induce a specific graft-versus-host reaction. 521.
Peppoloni, S. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Pepys, M.B. *See* Butler, Tennent, and Pepys.
Perlman, S., Evans, G., and Afifi, A. Effect of olfactory bulb ablation on spread of a neurotropic coronavirus into the mouse brain. 1127.
Perry, P. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.
Petrie, H.T., Hugo, P., Scollay, R., and Shortman, K. Lineage relationships and developmental kinetics of immature thymocytes: CD3, CD4, and CD8 acquisition in vivo and in vitro. 1583.
Pezzi, L. *See* Bárcena, Toribio, Pezzi, and Martínez-A.
Pfizenmaier, K. *See* Thoma, Grell, Pfizenmaier, and Scheurich.
Phillips, R.E. *See* Ratcliffe, Jones, Phillips, Nicholls, and Bell.
Pierce, R. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Pierson, R.N., III. *See* Moses, Pierson, Winn, and Auchincloss.
Piguet, P.-F. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
Pileri, P. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Pincus, S.H., Wehrly, K., Tschachler, E., Hayes, S.F., Buller, R.S., and Reitz, M. Variants selected by treatment of human immunodeficiency virus–infected cells with an immunotoxin. 745.
Pitha, P.M. *See* Lieberman, Pitha, and Shin.
Plaetinck, G., Van der Heyden, J., Tavernier, J., Faché, I., Tuypens, T., Fischkoff, S., Fiers, W., and Devos, R. Characterization of interleukin 5 receptors on eosinophilic sublines from human promyelocytic leukemia (HL-60) cells. 683.
Plante, E. *See* Bourgoin, Plante, Gaudry, Naccache, Borgeat, and Poubelle.
Platt, J.L. *See* Kaufman, Platt, Rabe, Dunn, Bach, and Sutherland.
Platts-Mills, T.A.E. *See* Arruda, Platts-Mills, Fox, and Chapman.
Plumas, J. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron.
Podack, E. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Podda, A., Nencioni, L., De Magistris, M.T., Di Tommaso, A., Bossù, P., Nuti, S., Pileri, P., Peppoloni, S., Bugnoli, M., Ruggiero, P., Marsili, I., D'Errico, A., Tagliabue, A., and Rappuoli, R. Metabolic, humoral, and cellular responses in adult volunteers immunized with the genetically inactivated pertussis toxin mutant PT-9K/129G. 861.
Poggi, A., Biassoni, R., Pella, N., Paolieri, F., Bellomo, R., Bertolini, A., Moretta, L., and Mingari, M.C. In vitro expansion of $CD3/TCR^-$ human thymocyte populations that selectively lack CD3δ gene expression: a phenotypic and functional analysis. 1409.
Poli, G., Bressler, P., Kinter, A., Duh, E., Timmer, W.C., Rabson, A., Justement, J.S., Stanley, S., and Fauci, A.S. Interleukin 6 induces human immunodeficiency virus expression in infected monocytic cells alone and in synergy with tumor necrosis factor α by transcriptional and post-transcriptional mechanisms. 151.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
Pollard, A.M., and Lipscomb, M.F. Characterization of murine lung dendritic cells: similarities to Langerhans cells and thymic dendritic cells. 159.
Pomerantz, R.J., Feinberg, M.B., Trono, D., and Baltimore, D. Lipopolysaccharide is a potent monocyte/macrophage-specific stimulator of human immunodeficiency virus type 1 expression. 253.
Porteous, C. *See* Gracie, Bolton, Porteous, and Bradley.
Porter, J. *See* Celada, Cambiaggi, Maccari, Burastero, Gregory, Patzer, Porter, McDanal, and Matthews.
Porteu, F., and Nathan, C. Shedding of tumor necrosis factor receptors by activated human neutrophils. 599.
Postlewaite, A.E., and Seyer, J.E. Stimulation of fibroblast chemotaxis by human recombinant tumor necrosis factor α (TNF-α) and a synthetic TNF-α 31–68 peptide. 1749.
Poubelle, P. E. *See* Bourgoin, Plante, Gaudry, Naccache, Borgeat, and Poubelle.
Powrie, F., and Mason, D. $OX\text{-}22^{high}$ $CD4^+$ T cells induce wasting disease with multiple organ pathology: prevention by the $OX\text{-}22^{low}$ subset. 1701.
Prelli, F. *See* Lévy, Haltia, Fernandez-Madrid, Koivunen, Ghiso, Prelli, and Frangione.
Prin, L. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron.
Pulcinelli, F. *See* Testi, Pulcinelli, Frati, Gazzaniga, and Santoni.
Pulido-Cejudo, G. *See* Letellier, Nakajima, Pulido-Cejudo, Hofstetter, and Delespesse.
Puré, E., Inaba, K., Crowley, M.T., Tardelli, L., Witmer-Pack, M.D., Ruberti, G., Fathman, G., and Steinman, R.M. Antigen processing by epidermal Langerhans cells correlates with the level of biosynthesis of major histocompatibility complex class II molecules and expression of invariant chain. 1459.

Q

Quinto, I. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.

R

Rabe, F.L. *See* Kaufman, Platt, Rabe, Dunn, Bach, and Sutherland.
Rabson, A. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Raetz, C.R.H. *See* Kovach, Yee, Munford, Raetz, and Harlan.
Ragab, A.H. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.
Raine, C.S. *See* Cannella, Cross, and Raine.
Rajewsky, K. *See* Weiss and Rajewsky.
Ramaswamy, K., Mathison, R., Carter, L., Kirk, D., Green, F., Davison, J.S., and Befus, D. Marked antiinflammatory effects of decentralization of the superior cervical ganglia. 1819.
Rambaldi, A. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Ramshaw, I.A. *See* Karupiah, Blanden, and Ramshaw.
Rand, T.H. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Rappoport, S. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Rappuoli, R. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Ratcliffe, P.J., Jones, R.W., Phillips, R.E., Nicholls, L.G., and Bell, J.I. Oxygen-dependent modulation of erythropoietin mRNA levels in isolated rat kidneys studied by RNAse protection. 657.
Rausser, S. *See* Edman, Meraz, Rausser, Agabian, and Meza.
Reardon, C., Lefrancois, L., Farr, A., Kubo, R., O'Brien, R., and Born, W. Expression of γ/δ T cell receptors on lymphocytes from the lactating mammary gland. 1263.
Reibnegger, G. *See* Werner-Felmayer, Werner, Fuchs, Hausen, Reibnegger, and Wachter.
Reid, K.B.M. *See* Malhotra, Thiel, Reid, and Sim.
Reinherz, E.L. *See* Chang, Moingeon, Pedersen, Lucich, Stebbins, and Reinherz.
Reinherz, E.L. *See* Clayton, Bauer, Jin, D'Adamio, Koyasu, and Reinherz.

Reitz, M. *See* Pincus, Wehrly, Tschachler, Hayes, Buller, and Reitz.
Rellahan, B., Jones, L.A., Kruisbeek, A.M., Fry, A.M., and Matis, L.A. In vivo induction of anergy in peripheral Vβ8$^+$ T cells by staphylococcal enterotoxin B. 1091.
Remington, J.S. *See* Black, Bermudez, Young, and Remington.
Renauld, J.-C. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Reth, M. *See* Tsubata and Reth.
Rich, R.R. *See* Grossman, Cook, Sparrow, Mollick, and Rich.
Richman, D.D. *See* Pauza, Galindo, and Richman.
— *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
Rifkin, D.B. *See* Tsuboi and Rifkin.
Riggs, J.E., Stowers, R.S., and Mosier, D.E. The immunoglobulin allotype contributed by peritoneal cavity B cells dominates in SCID mice reconstituted with allotype-disparate mixtures of splenic and peritoneal cavity B cells. 475.
Robb, R.J. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Roberts, A.B. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Robinson, C.A. *See* Duchosal, McConahey, Robinson, and Dixon.
Rogerson, B.J. *See* Hackett, Rogerson, O'Brien, and Storb.
Rohrbach, M.S., Wheatley, C.L., Slifman, N.R., and Gleich, G.J. Activation of platelets by eosinophil granule proteins. 1271.
Romani, N. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Romero, P. *See* Tsuji, Romero, Nussenzweig, and Zavala.
Ron, Y. *See* Flood, Dougherty, and Ron.
Roos, G. *See* Huff, Roos, Peebles, Houghten, Sullivan, and Tan.
Rosen, A., Keenan, K.F., Thelen, M., Nairn, A.C., and Aderem, A. Activation of protein kinase C results in the displacement of its myristoylated, alanine-rich substrate from punctate structures in macrophage filopodia. 1211.
Rothbard, J. *See* Chen, Rothbard, and Parham.
Roths, J.B. *See* Allen, Marshall, Roths, and Sidman.
Ruberti, G. *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Ruddle, N.H., Bergman, C.M., McGrath, K.M., Lingenheld, E.G., Grunnet, M. L., Padula, S.J., and Clark, R.B. An antibody to lymphotoxin and tumor necrosis factor prevents transfer of experimental allergic encephalomyelitis. 1193.
Ruggiero, P. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Ruocco, M.R. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.
Ruscetti, F.W. *See* Dubois, Ruscetti, Palaszynski, Falk, Oppenheim, and Keller.
Ryan, J.J. *See* Vacchio, Ryan, and Hodes.

S

Sabchareon, A. *See* Bouharoun-Tayoun, Attanath, Sabchareon, Chongsuphajaisiddhi, and Druilhe.
Sachs, D.H. *See* Sharabi, Aksentijevick, Sundt, Sachs, and Sykes.
Sadoff, J. *See* Aggarwal, Kumar, Jaffe, Hone, Gross, and Sadoff.
Sáez-Llorens, X. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
Sakaguchi, N. *See* Sakaguchi and Sakaguchi.
Sakaguchi, S., and Sakaguchi, N. Thymus and autoimmunity: capacity of the normal thymus to produce pathogenic self-reactive T cells and conditions required for their induction of autoimmune disease. 537.
Sakai, T. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.
Samaridis, J. *See* Palacios, Samaridis, Thorpe, and Leu.
Sanchez, E. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Sanders, S.K. *See* Ohno, Kubagawa, Sanders, and Cooper.
Sanderson, C.J. *See* Dent, Strath, Mellor, and Sanderson.
Santoni, A. *See* Testi, Pulcinelli, Frati, Gazzaniga, and Santoni.
Sassenfeld, H.M. *See* Alderson, Sassenfeld, and Widmer.
Sastry, K. *See* Ezekowitz, Sastry, Bailly, and Warner.
Sato, S. *See* Kitagawa, Sato, Hori, Hamaoka, and Fujiwara.
Sattentau, Q.J. *See* Healey, Dianda, Moore, McDougal, Moore, Estess, Buch, Kwong, Beverley, and Sattentau.
Sauerwein, R.W. *See* Curfs, van der Meer, Sauerwein, and Eling.
Sauter, N.P. *See* Muñoz, Zubiaga, Merrow, Sauter, and Huber.
Scala, G., Quinto, I., Ruocco, M.R., Arcucci, A., Mallardo, M., Caretto, P., Forni, G., and Venuta, S. Expression of an exogenous interleukin 6 gene in human Epstein Barr virus B cells confers growth advantage and in vivo tumorigenicity. 61.
Schacht, A.-M. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Scheurich, P. *See* Thoma, Grell, Pfizenmaier, and Scheurich.
Schlossman, S.F. *See* Dang, Torimoto, Schlossman, and Morimoto.
— *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Schmidt, J.A. *See* Liew, Millott, and Schmidt.
Schneider, S.L. *See* Altman, Schneider, Thompson, Cheng, and Tomasi.
Schoenborn, M.A. *See* Maliszewski, March, Schoenborn, Gimpel, and Shen.
Schoolnik, G.K. *See* Ho, Mietzner, Smith, and Schoolnik.
Schuler, G. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Schwarz, T. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.
Scollay, R. *See* Petrie, Hugo, Scollay, and Shortman.
Scott, S., Pandolfi, F., and Kurnick, J.T. Fibroblasts mediated T cell survival: a proposed mechanism for retention of primed T cells. 1873.
Seamon, K.B. *See* Napolitano, Seamon, and Leonard.
Seder, R. *See* Le Gros, Ben-Sasson, Seder, Finkelman, and Paul.
Seeger, W. *See* Grimminger, Thomas, Obernitz, Walmrath, Bhakdi, and Seeger.
Seifert, P.S., Hugo, F., Tranum-Jensen, J., Zähringer, U., Muhly, M., and Bhakdi, S. Isolation and characterization of a complement-activating lipid extracted from human atherosclerotic lesions. 547.
Sekaly, R.-P. *See* Herman, Croteau, Sekaly, Kappler, and Marrack.
Seki, S. *See* Ohteki, Seki, Abo, and Kumagai.
Seldin, M.F. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Selvakumar, R. *See* Matloubian, Somasundaram, Kolhekar, Selvakumar, and Ahmed.
Sercarz, E.E. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.
Serhan, C.N. *See* Fiore and Serhan.
— *See* Liu, Serhan, and Weller.
Settles, M. *See* Ardman, Sikorski, Settles, and Staunton.
Seya, T., Hara, T., Matsumoto, M., Sugita, Y., and Akedo, H. Complement-mediated tumor cell damage induced by antibodies against membrane cofactor protein (MCP, CD46). 1673.
Seyer, J.E. *See* Postlewaite and Seyer.
Shalaby, M.R., Sundan, A., Loetscher, H., Brockhaus, M., Lesslauer, W., and Espevik, T. Binding and regulation of cellular functions by monoclonal antibodies against human tumor necrosis factor receptors. 1517.
Shan, H., Shlomchik, M., and Weigert, M. Heavy-chain class switch does not terminate somatic mutation. 531.
Sharabi, Y., Aksentijevick, I., Sundt, T.M., III, Sachs, D.H., and Sykes, M. Specific tolerance induction across a xenogeneic barrier: production of mixed rat/mouse lymphohematopoietic chimeras using a nonlethal preparative regimen. 195.
Shaw, M. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Shen, L. *See* Maliszewski, March, Schoenborn, Gimpel, and Shen.
Sherry, B. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
Sherwin, S. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Shiku, H. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Shin, M.L. *See* Lieberman, Pitha, and Shin.
Shinkai, Y. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.
Shinton, S.A. *See* Carmack, Shinton, Hayakawa, and Hardy.
Shlomchik, M. *See* Shan, Shlomchik, and Weigert.
Shortman, K. *See* Petrie, Hugo, Scollay, and Shortman.
Shuman, H. *See* Campanelli, Melchior, Fu, Nakata, Shuman, Nathan, and Gabay.

Sibille, C., Chomez, P., Wildmann, C., Van Pel, A., De Plaen, E., Maryanski, J.L., de Bergeyck, V., and Boon, T. Structure of the gene of tum⁻ transplantation antigen P198: a point mutation generates a new antigenic peptide. 35.
Sidman, C.L. *See* Allen, Marshall, Roths, and Sidman.
Siegelman, M.H. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Sikorski, M.A. *See* Ardman, Sikorski, Settles, and Staunton.
Silver, J.E. *See* Limaye, Abrams, Silver, Ottesen, and Nutman.
Silverstein, S.C. *See* Greenberg, Burridge, and Silverstein.
Sim, R.B. *See* Malhotra, Thiel, Reid, and Sim.
Sims, J.E. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
Singer, J.W. *See* Andrews, Singer, and Bernstein.
Singh, P. *See* Patarca, Wei, Singh, Morasso, and Cantor.
Slifman, N.R. *See* Rohrbach, Wheatley, Slifman, and Gleich.
Smeland, E.B. *See* Stamenkovic, Asheim, Deggerdal, Blomhoff, Smeland, and Funderud.
Smith, A.J. *See* Ho, Mietzner, Smith, and Schoolnik.
Smith, C.A. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
Smyth, M.J. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.
So, A.K. *See* Botto, Fong, So, Koch, and Walport.
Sogoh, S. *See* Kosaka, Matsubara, Sogoh, Ogata, Hamaoka, and Fujiwara.
Somasundaram, T. *See* Matloubian, Somasundaram, Kolhekar, Selvakumar, and Ahmed.
Sondel, P.M. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Sorensen, E. *See* Larsen, Davis, Curtis, Gimpel, Sims, Cosman, Park, Sorensen, March, and Smith.
Sparrow, J.T. *See* Grossman, Cook, Sparrow, Mollick, and Rich.
Speiser, D.E., Chvatchko, Y., Zinkernagel, R.M., and MacDonald, H.R. Distinct fates of self-specific T cells developing in irradiation bone marrow chimeras: clonal deletion, clonal anergy, or in vitro responsiveness to self–Mls-1ª controlled by hemopoietic cells in the thymus. 1305.
Spits, H. *See* Krangel, Yssel, Brocklehurst, and Spits.
Sporr M.B. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Springer, T.A. *See* Wardlaw, Hibbs, Stacker, and Springer.
Squires, K. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Stacker, S.A. *See* Wardlaw, Hibbs, Stacker, and Springer.
Stamenkovic, I., Asheim, H.C., Deggerdal, A., Blomhoff, H.K., Smeland, E.B., and Funderud, S. The B cell antigen CD75 is a cell surface sialyltransferase. 641.
Stankiewicz, M. *See* Harmsen and Stankiewicz.
Stanley, S. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Staunton, D.E. *See* Ardman, Sikorski, Settles, and Staunton.
Stebbins, C. *See* Chang, Moingeon, Pedersen, Lucich, Stebbins, and Reinherz.
Steinman, R.M. *See* Crowley, Inaba, and Steinman.
Steinman, R.M. *See* Granelli-Piperno, Nolan, Inaba, and Steinman.
— *See* Inaba, Metlay, Crowley, and Steinman.
— *See* Larsen, Steinman, Witmer-Pack, Hankins, Morris, and Austyn.
— *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Sterkers, G. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Stern, D. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Stern, M.-H. *See* Lipkowitz, Stern, and Kirsch.
Stevens, J.G. *See* Izumi and Stevens.
Stevens, M. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Stocking, C. *See* Laker, Gräning, Kelso, Stocking, and Ostertag.
Stöger, P. *See* Stössel, Koch, Kämpgen, Stöger, Lenz, Heufler, Romani, and Schuler.
Stone, M. *See* Harrison, Stone, and Astle.
Storb, U. *See* Hackett, Rogerson, O'Brien, and Storb.
Stössel, H., Koch, F., Kämpgen, E., Stöger, P., Lenz, A., Heufler, C., Romani, N., and Schuler, G. Disappearance of certain acidic organelles (endosomes and Langerhans cell granules) accompanies loss of antigen processing capacity upon culture of epidermal Langerhans cells. 1471.
Stowers, R.S. *See* Riggs, Stowers, and Mosier.
Strath, M. *See* Dent, Strath, Mellor, and Sanderson.
Stuiver, M.H., Coenjaerts, F.E.J., and van der Vliet, P.C. The autoantigen Ku is indistinguishable from NF IV, a protein forming multimeric protein-DNA complexes. 1049.
Su, H., Morrison, R.P., Watkins, N.G., and Caldwell, H.D. Identification and characterization of T helper cell epitopes of the major outer membrane proteins of *Chlamydia trachomatis*. 203.
Sugamura, K. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Sugita, Y. *See* Seya, Hara, Matsumoto, Sugita, and Akedo.
Sullivan, K.F. *See* Huff, Roos, Peebles, Houghten, Sullivan, and Tan.
Sundan, A. *See* Shalaby, Sundan, Loetscher, Brockhaus, Lesslauer, and Espevik.
Sundt, T.M., III *See* Sharabi, Aksentijevick, Sundt, Sachs, and Sykes.
Sutherland, D.E.R. *See* Kaufman, Platt, Rabe, Dunn, Bach, and Sutherland.
Sutherland, H.J. *See* Lansdorp, Sutherland, and Eaves.
Suzuki, N., Bianchi, E., Bass, H., Suzuki, T., Bender, J., Pardi, R., Brenner, C.A., Larrick, J.W., and Engleman, E.G. Natural killer lines and clones with apparent antigen specificity. 457.
Suzuki, T. *See* Suzuki, Bianchi, Bass, Suzuki, Bender, Pardi, Brenner, Larrick, and Engleman.
Sykes, M. *See* Sharabi, Aksentijevick, Sundt, Sachs, and Sykes.

T

Tabilio, A. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Tagliabue, A. *See* Podda, Nencioni, De Magistris, Di Tommaso, Bossù, Nuti, Pileri, Peppoloni, Bugnoli, Ruggiero, Marsili, D'Errico, Tagliabue, and Rappuoli.
Takahashi, T., Mafune, K., and Maki, T. Cloning of self-major histocompatibility complex antigen-specific suppressor cells from adult bone marrow. 901.
— *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Takaishi, T. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Takatsuki, K. *See* Watanabe, Yamaguchi, Takatsuki, Osame, and Yoshida.
Takizawa, P.A. *See* Benichou, Takizawa, Ho, Killion, Olson, McMillan, and Sercarz.
Tambussi, G. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-CD16⁺ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Tamura, N., Holroyd, K.J., Banks, T., Kirby, M., Okayama, H., and Crystal, R.G. Diversity in junctional sequences associated with the common human Vγ9 and Vδ2 gene segments in normal blood and lung compared with the limited diversity in a granulomatous disease. 169.
Tan, E.M. *See* Huff, Roos, Peebles, Houghten, Sullivan, and Tan.
Tan, P. *See* Anasetti, Tan, Hansen, and Martin.
Taniguchi, N. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Tardelli, L. *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Tartar, A. *See* Khalife, Grzych, Pierce, Ameisen, Schacht, Gras-Masse, Tartar, Lecocq, and Capron.
Taurog, J.D. *See* Gur, El-Zaatari, Geppert, Wacholtz, Taurog, and Lipsky.
Tavernier, J. *See* Chihara, Plumas, Gruart, Tavernier, Prin, Capron, and Capron.
— *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
Taylor, A.H., Haberman, A.M., Gerhard, W., and Caton, A.J. Structure-function relationships among highly diverse T cells that recognize a determinant from influenza virus hemagglutinin. 1643.
Teh, H.S. *See* Jardim, Alexander, Teh, Ou, and Olafson.
Teillaud, J.L. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Tekamp-Olson, P., Gallegos, C., Bauer, D., McClain, J., Sherry, B.,

Fabre, M., van Deventer, S., and Cerami, A. Cloning and characterization of cDNAs for murine macrophage inflammatory protein 2 and its human homologues. 911.
Tendler, C.L. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Tennent, G.A. *See* Butler, Tennent, and Pepys.
Terato, K. *See* Watson, Thompson, Terato, Cremer, and Kang.
Testi, R., Pulcinelli, F., Frati, L., Gazzaniga, P.P., and Santoni, A. CD69 is expressed on platelets and mediates platelet activation and aggregation. 701.
Thelen, M. *See* Rosen, Keenan, Thelen, Nairn, and Aderem.
Thevenin, C. *See* Kim, Kehrl, Burton, Tendler, Jeang, Danielpour, Thevenin, Kim, Sporn, and Roberts.
Thiel, S. *See* Malhotra, Thiel, Reid, and Sim.
Thiele, D.L., and Lipsky, P.E. The action of leucyl-leucine methyl ester on cytotoxic lymphocytes requires uptake by a novel dipeptide-specific facilitated transport system and dipeptidyl peptidase I–mediated conversion to membranolytic products. 183.
Thoma, B., Grell, M., Pfizenmaier, K., and Scheurich, P. Identification of a 60-kD tumor necrosis factor (TNF) receptor as the major signal transducing component in TNF responses. 1019.
Thomas, M. *See* Grimminger, Thomas, Obernitz, Walmrath, Bhakdi, and Seeger.
Thompson, D.A. *See* Altman, Schneider, Thompson, Cheng, and Tomasi.
Thompson, J.P. *See* Watson, Thompson, Terato, Cremer, and Kang.
Thompson, P. *See* Han, Thompson, and Beutler.
Thomsen, M. *See* Essaket, Fabron, de Preval, and Thomsen.
Thorpe, D. *See* Palacios, Samaridis, Thorpe, and Leu.
Timmer, W.C. *See* Poli, Bressler, Kinter, Duh, Timmer, Rabson, Justement, Stanley, and Fauci.
Todd, J.K. *See* Choi, Lafferty, Clements, Todd, Gelfand, Kappler, Marrack, and Kotzin.
Todd, R. *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Tomai, M., Kotb, M., Majumdar, G., and Beachey, E.H. Superantigenicity of streptococcal M protein. 359.
Tomasi, T.B. *See* Altman, Schneider, Thompson, Cheng, and Tomasi.
Tonegawa, S. *See* Bandeira, Mota-Santos, Itohara, Degermann, Heusser, Tonegawa, and Coutinho.
Toribio, M.L. *See* Bárcena, Toribio, Pezzi, and Martínez-A.
Torimoto, Y. *See* Dang, Torimoto, Schlossman, and Morimoto.
Tranum-Jensen, J. *See* Seifert, Hugo, Tranum-Jensen, Zâhringer, Muhly, and Bhakdi.
Travis, W.D. *See* Ehrenreich, Anderson, Fox, Rieckmann, Hoffman, Travis, Coligan, Kehrl, and Fauci.
Triebel, F. *See* Mami-Chouaib, Miossec, Del Porto, Flament, Triebel, and Hercend.
Tripodi, G. *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Trono, D. *See* Pomerantz, Feinberg, Trono, and Baltimore.
Trowbridge, I.S. *See* Ostergaard and Trowbridge.
Tsan, J.T. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.
Tschachler, E. *See* Pincus, Wehrly, Tschachler, Hayes, Buller, and Reitz.
Tsubata, T., and Reth, M. The products of pre-B cell-specific genes (λ_5 and V_{preB}) and the immunoglobulin μ chain form a complex that is transported onto the cell surface. 973.
Tsuboi, R., and Rifkin, D.B. Recombinant basic fibroblast growth factor stimulates wound healing in healing-impaired *db/db* mice. 245.
Tsudo, M. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Tsuji, M., Romero, P., Nussenzweig, R.S., and Zavala, F. $CD4^+$ cytolytic T cell clone confers protection against murine malaria. 1353.
Turner, M. *See* Heslop, Bianchi, Cordingley, Turner, De Mel, Hoffbrand, and Brenner.
Turpin, J.A. *See* Gendelman, Friedman, Joe, Baca, Turpin, Dveksler, Meltzer, and Dieffenbach.
Tuypens, T. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.

U

Uede, T. *See* Yorimoto, Kinebuchi, Matsuura, Kikuchi, and Uede.
Uenaka, A. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Uitdehaag, B.M.J. *See* Huitinga, van Rooijen, de Groot, Uitdehaag, and Dijkstra.
Underhill, C.B. *See* Miyake, Underhill, Lesley, and Kincade.
Urbanski, A. *See* Köck, Schwarz, Kirnbauer, Urbanski, Perry, Ansel, and Luger.

V

Vacchio, M.S., Ryan, J.J., and Hodes, R.J. Characterization of the ligand(s) responsible for negative selection of $V\beta11$- and $V\beta12$-expressing T cells: effects of a new Mls determinant. 807.
Valerio, D. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, van Bekkum, and Valerio.
van Bekkum, D.W. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, vanBekkum, and Valerio.
van Beusechem, V.W., Kukler, A., Einerhand, M.P.W., Bakx, T.A., van der Eb, A.J., van Bekkum, D.W., and Valerio, D. Expression of human adenosine deaminase in mice transplanted with hemopoietic stem cells infected with amphotropic retroviruses. 729.
van den Brink, M.R.M., Boggs, S.S., Herberman, R.B., and Hiserodt, J.C. The generation of natural killer (NK) cells from NK precursor cells in rat long-term bone marrow cultures. 303.
van der Eb, A.J. *See* van Beusechem, Kukler, Einerhand, Bakx, van der Eb, van Bekkum, and Valerio.
Van der Heyden, J. *See* Plaetinck, Van der Heyden, Tavernier, Faché, Tuypens, Fischkoff, Fiers, and Devos.
van der Meer, J.W.M. *See* Curfs, van der Meer, Sauerwein, and Eling.
van der Vliet, P.C. *See* Stuiver, Coenjaerts, and van der Vliet.
van Deventer, S. *See* Tekamp-Olson, Gallegos, Bauer, McClain, Sherry, Fabre, van Deventer, and Cerami.
van de Winkel, J.G.J. *See* Warmerdam, van de Winkel, Gosselin, and Capel.
Van Pel, A. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
van Rooijen, N. *See* Huitinga, van Rooijen, de Groot, Uitdehaag, and Dijkstra.
Van Snick, J. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Van Voorhis, W.C. *See* Kahn, Van Voorhis, and Eisen.
Vaquero, C. *See* Eljaafari, Vaquero, Teillaud, Bismuth, Hivroz, Dorval, Bernard, and Sterkers.
Varghese, M. *See* Nathan, Squires, Griffo, Levis, Varghese, Job, Nusrat, Sherwin, Rappoport, Sanchez, Burkhardt, and Kaplan.
Vasicek, T.J., and Leder, P. Structure and expression of the human immunoglobulin λ genes. 609.
Vassalli, P. *See* Grau, Frei, Piguet, Fontana, Heremans, Billiau, Vassalli, and Lambert.
— *See* Ody, Kindler, and Vassalli.
Venuta, S. *See* Scala, Quinto, Ruocco, Arcucci, Mallardo, Caretto, Forni, and Venuta.
Vercelli, D. *See* Jabara, Fu, Geha, and Vercelli.
Verfaillie, C., Blakolmer, K., and McGlave, P. Purified primitive human hematopoietic progenitor cells with long-term in vitro repopulating capacity adhere selectively to irradiated bone marrow stroma. 509.
Viale, O. *See* Ciccone, Pende, Viale, Tambussi, Ferrini, Biassoni, Longo, Guardiola, Moretta, and Moretta.Specific recognition of human CD3-$CD16^+$ natural killer cells requires the expression of an autosomic recessive gene on target cells.
— *See* Moretta, Bottino, Pende, Tripodi, Tambussi, Viale, Orengo, Barbaresi, Merli, Ciccone, and Moretta.
Villablanca, J.G., Anderson, J.M., Moseley, M., Law, C.-L., Elstrom, R.L., and LeBien, T.W. Differentiation of normal human pre-B cells in vitro. 325.
Vink, A., Coulie, P., Warnier, G., Renauld, J.-C., Stevens, M., Donckers, D., and Van Snick, J. Mouse plasmacytoma growth in vivo: enhancement by interleukin 6 (IL-6) and inhibition by antibodies directed against IL-6 or its receptor. 997.
Vitetta, E.S. *See* Berton and Vitetta.
Vohra, G. *See* Christie, Vohra, Champagne, Daneman, and Delovitch.
Voss, S.D., Robb, R.J., Weil-Hillman, G., Hank, J.A., Sugamura, K., Tsudo, M., and Sondel, P.M. Increased expression of the interleukin 2 (IL-2) receptor β chain (p70) on $CD56^+$ natural killer cells after in

vivo IL-2 therapy: p70 expression does not alone predict the level of intermediate affinity IL-2 binding. 1101.

W

Wacholtz, M.C. *See* Gur, El-Zaatari, Geppert, Wacholtz, Taurog, and Lipsky.
Wachter, H. *See* Werner-Felmayer, Werner, Fuchs, Hausen, Reibnegger, and Wachter.
Wagner, H. *See* Heeg and Wagner.
Wain, E. *See* Frelinger, Gotch, Zweerink, Wain, and McMichael.
Wallick, S.C., Figari, I.S., Morris, R.E., Levinson, A.D., and Palladino, M. A. Immunoregulatory role of transforming growth factor β (TGF-β) in development of killer cells: comparison of active and latent TGF-β1. 1777.
Walmrath, D. *See* Grimminger, Thomas, Obernitz, Walmrath, Bhakdi, and Seeger.
Walport, M.J. *See* Botto, Fong, So, Koch, and Walport.
Waltersdorph, A.M. *See* Klebanoff and Waltersdorph.
Wang, F. *See* Clauss, Gerlach, Gerlach, Brett, Wang, Familletti, Pan, Olander, Connolly, and Stern.
Wardlaw, A.J., Hibbs, M.L., Stacker, S.A., and Springer, T.A. Distinct mutations in two patients with leukocyte adhesion deficiency and their functional correlates. 335.
Warmerdam, P.A.M., van de Winkel, J.G.J., Gosselin, E.J., and Capel, P.J.A. Molecular basis for a polymorphism of human Fcγ receptor II (CD32). 19.
Warner, A. *See* Ezekowitz, Sastry, Bailly, and Warner.
Warnier, G. *See* Vink, Coulie, Warnier, Renauld, Stevens, Donckers, and Van Snick.
Watanabe, T., Yamaguchi, K., Takatsuki, K., Osame, M., and Yoshida, M. Constitutive expression of parathyroid hormone–related protein gene in human T cell leukemia virus type 1 (HTLV-1) carriers and adult T cell leukemia patients that can be *trans*-activated by HTLV-1 *tax* gene. 759.
Watkins, N.G. *See* Su, Morrison, Watkins, and Caldwell.
Watson, M.L., Kingsmore, S.F., Johnston, G.I., Siegelman, M.H., Le Beau, M.M., Lemons, R.S., Bora, N.S., Howard, T.A., Weissman, I.L., McEver, R.P., and Seldin, M.F. Genomic organization of the selectin family of leukocyte adhesion molecules on human and mouse chromosome 1. 263.
Watson, W.C., Thompson, J.P., Terato, K., Cremer, M.A., and Kang, A.H. Human HLA-DRβ gene hypervariable region homology in the biobreeding BB rat: selection of the diabetic-resistant subline as a rheumatoid arthritis research tool to characterize the immunopathologic response to human type II collagen. 1331.
Watts, R. *See* Karr, Yu, Watts, Evans, and Celis.
Wedrychowicz, T. *See* Chrivia, Wedrychowicz, Young, and Hardy.
Wehrly, K. *See* Pincus, Wehrly, Tschachler, Hayes, Buller, and Reitz.
Wei, F.-Y. *See* Patarca, Wei, Singh, Morasso, and Cantor.
Weigert, M. *See* Shan, Shlomchik, and Weigert.
Weilbaecher, K.N. *See* Namikawa, Weilbaecher, Kaneshima, Yee, and McCune.
Weil-Hillman, G. *See* Voss, Robb, Weil-Hillman, Hank, Sugamura, Tsudo, and Sondel.
Weissman, I.L. *See* Watson, Kingsmore, Johnston, Siegelman, Le Beau, Lemons, Bora, Howard, Weissman, McEver, and Seldin.
Weiss, U., and Rajewsky, K. The repertoire of somatic antibody mutants accumulating in the memory compartment after primary immunization is restricted through affinity maturation and mirrors that expressed in the secondary response. 1681.
Weissman, I.L. *See* Guidos, Danska, Fathman, and Weissman.
Welch, W.J. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
Weller, P.F. *See* Liu, Serhan, and Weller.
— *See* Wong, Weller, Galli, Elovic, Rand, Gallagher, Chiang, Chou, Matossian, McBride, and Todd.
Werner, E.R. *See* Werner-Felmayer, Werner, Fuchs, Hausen, Reibnegger, and Wachter.
Werner-Felmayer, G., Werner, E.R., Fuchs, D., Hausen, A., Reibnegger, G., and Wachter, H. Tetrahydrobiopterin-dependent formation of nitrite and nitrate in murine fibroblasts. 1599.
Wheatley, C.L. *See* Rohrbach, Wheatley, Slifman, and Gleich.
Wick, G. *See* Penninger, Hála, and Wick.
Widmer, M.B. *See* Alderson, Sassenfeld, and Widmer.
Wiersma, E.J. *See* Heyman, Wiersma, and Kinoshita.
Wildmann, C. *See* Sibille, Chomez, Wildmann, Van Pel, De Plaen, Maryanski, de Bergeyck, and Boon.
Winfield, J.B. *See* Jarjour, Mizzen, Welch, Denning, Shaw, Mimura, Haynes, and Winfield.
— *See* Mimura, Fernsten, Jarjour, and Winfield.
Wing, M. *See* Meri, Morgan, Wing, Jones, Davies, Podack, and Lachmann.
Winn, H.J. *See* Moses, Pierson, Winn, and Auchincloss.
Witmer-Pack, M.D. *See* Puré, Inaba, Crowley, Tardelli, Witmer-Pack, Ruberti, Fathman, and Steinman.
Witmer-Pack, M. *See* Larsen, Steinman, Witmer-Pack, Hankins, Morris, and Austyn.
Wolf, P.R., and Cook, R.G. The *TL* region gene *37* encodes a Qa-1 antigen. 1795.
Wong, D.T.W., Weller, P.F., Galli, S.J., Elovic, A., Rand, T.H., Gallagher, G.T., Chiang, T., Chou, M.Y., Matossian, K., McBride, J., and Todd, R. Human eosinophils express transforming growth factor α. 673.
Worman, H.J. *See* Courvalin, Lassoued, Worman, and Blobel.
Wysocki, L.J., Gefter, M.L., and Margolies, M.N. Parallel evolution of antibody variable regions by somatic processes: consecutive shared somatic alterations in V_H genes expressed by independently generated hybridomas apparently acquired by point mutation and selection rather than by gene conversion. 315.

X

Xia, Y. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.

Y

Yabe, T., McSherry, C., Bach, F.H., and Houchins, J.P. A cDNA clone expressed in natural killer and T cells that likely encodes a secreted protein. 1159.
Yachie, A. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Yagita, H. *See* Nakata, Smyth, Norihisa, Kawasaki, Shinkai, Okumura, and Yagita.
Yamada, K.M. *See* Nojima, Humphries, Mould, Komoriya, Yamada, Schlossman, and Morimoto.
Yamada, T. *See* Agui, Oka, Yamada, Sakai, Izumi, Ishida, Himeno, and Matsumoto.
Yamaguchi, K. *See* Watanabe, Yamaguchi, Takatsuki, Osame, and Yoshida.
Yamaguchi, M. *See* Hirai, Yamaguchi, Misaki, Takaishi, Ohta, Morita, Ito, and Miyamoto.
Yang, C.Y.-C. *See* Chen, Yang, Tsan, Xia, Ragab, Peiper, Carroll, and Baer.
Yee, E.J. *See* Namikawa, Weilbaecher, Kaneshima, Yee, and McCune.
Yee, E. *See* Kovach, Yee, Munford, Raetz, and Harlan.
Yokoi, T. *See* Kasahara, Miyawaki, Kato, Kanegane, Yachie, Yokoi, and Taniguchi.
Yorimoto, Y., Kinebuchi, M., Matsuura, A., Kikuchi, K., and Uede, T. A monoclonal antibody (8H3) that binds to rat T lineage cells and augments in vitro proliferative responses. 1315.
Yoshida, M. *See* Watanabe, Yamaguchi, Takatsuki, Osame, and Yoshida.
Yoshinaga, M. *See* Ramilo, Sáez-Llorens, Mertsola, Jafari, Olsen, Hansen, Yoshinaga, Ohkawara, Nariuchi, and McCracken.
Young, H.A. *See* Chrivia, Wedrychowicz, Young, and Hardy.
Young, L.S. *See* Black, Bermudez, Young, and Remington.
Yssel, H. *See* Krangel, Yssel, Brocklehurst, and Spits.
Yu, W. *See* Karr, Yu, Watts, Evans, and Celis.
Yuhki, N., and O'Brien, S.J. DNA recombination and natural selection pressure sustain genetic sequence diversity of the feline MHC class I genes. 621.

Z

Zâhringer, U. *See* Seifert, Hugo, Tranum-Jensen, Zâhringer, Muhly, and Bhakdi.
Zangrilli, D. *See* Longo, Pandolfi, Biondi, Rambaldi, Mencarelli, Lo Coco, Diverio, Pegoraro, Avanzi, Tabilio, Zangrilli, Alcalay, Donti, Grignani, and Pelicci.
Zavala, F. *See* Tsuji, Romero, Nussenzweig, and Zavala.
Zhou, T. *See* Mountz, Zhou, Eldridge, Berry, and Blüthmann.
Zier, K. *See* Gansbacher, Zier, Daniels, Cronin, Bannerji, and Gilboa.
Zinkernagel, R.M. *See* Speiser, Chvatchko, Zinkernagel, and MacDonald.
Zubiaga, A.M. *See* Muñoz, Zubiaga, Merrow, Sauter, and Huber.

Subject Index

Ablation
olfactory neurotropic coronavirus mouse brain 1127
Actin
talin macrophage receptor mediated phagocytosis 1853
Act2
cytokine receptor cell 285
Acute
promyelocytic leukemia retinoate receptor mutation 1571
Adenosine
deaminase gene human mouse 729
Adenovirus
E319K class I antigen transport 1653
Adherance
hematopoietic progenitor cell bone marrow 509
Adhesion
cell hyaluronate CD44 antigen 69
mol leukocyte gene chromosome 1 263
mol relapsing autoimmune demyelination 1521
Aeromonas
pili pilin type 795
Age
graft host disease transplant cyclosporine 85
Allergen
I cytotoxin Aspergillus 1529
Alloantigen
natural killer subset surface antigen 1589
Allograft
islet cell lymphocyte 291
kidney rejection T lymphocyte MHC 1547
Amniotic
fluid transforming factor immunosuppressant 1391
Amphotropic
retrovirus human adenosine deaminase mouse 729
Amyloid
serum P chromatin H1 histone 13
Amyloidosis
Finnish hereditary gelsolin gene mutation 1865
Anergy
deletion clonal responsiveness T lymphocyte 1305
Antibacterial
lactoferrin transferrin iron oxidn 1293
Antibody
CD4 gp120env complex membrane fusion 1143
inhibition protein fragment malaria merozoite 379
lymphocyte pertussis toxin vaccination 861
lymphotoxin tumor necrosis factor encephalomyelitis 1193
monoclonal tumor necrosis factor receptor 1517
mouse Ig gene hemagglutinin antigen 815
mutant hapten memory B lymphocyte 1681
pancreatic islet antigen fragment diabetes 789
Plasmodium inhibition monocyte cooperation 1633
response complement receptor 665
Antigen
B lymphocyte Ig gene rearrangement 815
CD2 sequence domain lymphocyte activation 351
CD3 zeta eta isoform thymocyte 1243
CD34 colony forming cell 355
CD4 human immunodeficiency virus fusion 1233
CD4 TCR lymphocyte anergy 1065
CD43 autoantibody lymphocyte HIV1 1151
CD44 hyaluronate cell adhesion 69
CD45 isoform hematopoietic cell 363
CD45 isoform lupus autoantibody 653
CD45 tyrosine kinase phosphorylation 347
CD45RB T lymphocyte wasting disease 1701
CD5 IgM B lymphocyte 475
CD69 platelet activation aggregation 701
CD75 sialyltransferase B lymphocyte 641
circumsporozoite cytotoxic T lymphocyte Salmonella 1083
class I transport E319K adenovirus 1653
class II allele conservation evolution 53
class II cell adhesion 1513
fragment pancreatic islet antibody diabetes 789
histocompatibility gene cat sequence recombination 621
histocompatibility peptide self immunogenicity tolerogenicity 1341
HLA B27 H2D gene mouse 1255
HLA class I peptide binding 827 931
HLA corecognition T lymphocyte 387
HLA cytotoxic T lymphocyte 779
HLA DR7 beta chain polymorphism 273
HLA peptide binding 889
H2 tolerance helper T lymphocyte 105
incompatible splenocyte tolerance transfusion 719
influenza MHC complex T lymphocyte 1643
LFA natural killer lymphocyte cytolysis 457
Ly 6A T cell receptor 115
Ly1 Ig gene rearrangement selection 371
Mls T lymphocyte neg selection 807
peptide Leishmania helper lymphocyte activation 1359
presentation dendritic cell spleen 631
presentation dendritic cell spleen correction 1275
presentation spleen dendritic cell 383
presenting cell lymphokine formation 567
processing capacity disappearance acidic organelle 1471
processing class II restriction lymphocyte 947
processing Langerhans cell skin 1459
proliferating cell nuclear autoantibody lupus 419
P198 gene mutation sequence mouse 35
Qa1 gene 37 mouse 1795
receptor autoreactive T lymphocyte selection 835
receptor gene rearrangement thymocyte cytokine 847
RT1 gene rat collagen arthritis 1331
SA851 gene Trypanosoma sequence expression 589
Schistosoma virion infectivity factor HIV 1001
self histocompatibility suppressor cell 901
specific nonresponsiveness CD3 histocompatibility antigen 1691
specificity TCR CDR3 region 27
surface natural killer subset alloantigen 1589
surface variable Entamoeba pathogenicity 879
Thy thymocyte autoantibody gene 869
VLA fibronectin T lymphocyte activation 1185
8H3 cell adhesion lymphocyte proliferation 1315
Antitumor
immunity interleukin 2 gene 1217
Antiviral
HIV virus DNA cytopathol 1035
Arginine
guanylate cyclase tumor necrosis factor 1843
Arthritis
collagen rat RT1 antigen gene 1331
Aspergillus
allergen I cytotoxin 1529
Astrocyte
virus kinase tumor necrosis factor 989
Ataxia
telangiectasia T cell receptor gene 409
Atherosclerosis
lesion complement activating lipid 547
Autoantibody
autoimmune disease thymus induction 537
CD43 antigen lymphocyte HIV1 1151
CD45 antigen isoform lupus 653
gene Thy antigen thymocyte 869
lamin receptor biliary cirrhosis 961
lupus transfer severe immunodeficient mouse 985
proliferating cell nuclear antigen lupus 419
Autoantigen
Ku nuclear factor IV 1049
Autocrine
growth factor interferon B leukemia 1729
Autoimmune
demyelination relapsing adhesion mol 1521
disease autoantibody thymus induction 537
disease gene lpr gld 1367
model TCR T lymphocyte B220 1805
Autoimmunity
T lymphocyte cytokine Eta 1 1177
Autoreactive
T lymphocyte neg selection TCR 835
B
leukemia interferon autocrine growth factor 1729
lymphocyte CD75 antigen sialyltransferase 641
lymphocyte Ig gene rearrangement antigen 815
lymphocyte IgM CD5 antigen 475
lymphocyte IgM receptor 1165
lymphocyte immunodeficient interleukin 10 1625
lymphocyte interleukin 4 IgE gene 463
lymphocyte memory hapten antibody mutant 1681
lymphocyte transformation interleukin 6 gene 61
Bacteria
coinfection macrophage interferon 977
Basic
fibroblast growth factor wound healing 245
Basophil
histamine leukotriene interleukin 5 agonist 1577
histamine release interleukin 5 1525
Biliary
cirrhosis autoantibody lamin receptor 961
Blood
platelet activation eosinophil granule protein 1271
vessel filaria cyclooxygenase derived eicosanoid 993
Bone
marrow hematopoietic progenitor cell adherance 509
marrow irradn chimera T cell 1305
marrow natural killer lymphocyte interleukin 303
Brain
mouse olfactory ablation neurotropic coronavirus 1127
B220
T lymphocyte TCR autoimmune model 1805
Calcium
phospholipase helper cytolytic T lymphocyte 213
Carbohydrate
domain macrophage mannose receptor 1785
Cat
histocompatibility antigen gene sequence recombination 621
CDR3
region TCR antigen specificity 27
CD2
activation interleukin 6 T lymphocyte 1419
antigen sequence domain lymphocyte activation 351

CD3
antigen zeta eta isoform thymocyte 1243
CD4 CD8 kinetics thymocyte development 1583
gene thymocyte T cell receptor 1409
histocompatibility antigen antigen specific nonresponsiveness 1691
CD34
antigen colony forming cell 355
CD37
leukocyte antigen peptide sequence correction 1007
CD4
antigen human immunodeficiency virus fusion 1233
antigen TCR lymphocyte anergy 1065
CD3 CD8 kinetics thymocyte development 1583
CD8 T lymphocyte islet allograft 291
CD8 thymus pos selection rat 1615
gp120env complex antibody membrane fusion 1143
resistance Pneumocystis carinii pneumonia mice 937
T lymphocyte malaria protection 1353
CD40
interleukin 4 IgE formation 1861
CD43
antigen autoantibody lymphocyte HIV1 1151
CD44
antigen hyaluronate cell adhesion 69
CD45
antigen isoform hematopoietic cell 363
antigen isoform lupus autoantibody 653
antigen tyrosine kinase phosphorylation 347
CD45RB
antigen T lymphocyte wasting disease 1701
CD5
antigen IgM B lymphocyte 475
CD69
antigen platelet activation aggregation 701
CD75
antigen sialyltransferase B lymphocyte 641
CD8
CD3 CD4 kinetics thymocyte development 1583
CD4 T lymphocyte islet allograft 291
CD4 thymus pos selection rat 1615
Cell
adhesion antigen class II 1513
adhesion antigen 8H3 1315
adhesion hyaluronate CD44 antigen 69
hematopoietic progenitor adherance bone marrow 509
immunohematopoietic stem transplantation 431
Mac1 islet allograft 291
preB human differentiation 325
receptor Act2 cytokine 285
receptor gene rearrangement lymphoma retraction 1005
T irradn bone marrow chimera 1305
T natural killer gene human 1159
T receptor chain junction diversity 169
T receptor gene enhancer 1443
Cerebral
malaria interleukin 1 1287
malaria interleukin 6 formation 1505
Cervical
sympathetic trunk inflammation lung 1819
Chemotaxis
fibroblast tumor necrosis factor peptide 1749
Chimera
irradn bone marrow T cell 1305
lymphohematopoietic rat mouse 195
Chlamydia
T helper lymphocyte determinant 203
Cholera
toxin T helper subset 95
Chromatin
H1 histone serum amyloid P 13
structure IgG switch interleukin 4 375
Chromosome
1 leukocyte adhesion mol gene 263
Circumsporozoite
antigen cytotoxic T lymphocyte Salmonella 1083
Cirrhosis
biliary autoantibody lamin receptor 961
Class
I antigen peptide binding 827 931
I antigen transport E319K adenovirus 1653
I cytoplasm domain T lymphocyte 1267
I II antigen presentation lymphocyte 779
II antigen allele conservation evolution 53
II antigen cell adhesion 1513
II antigen Langerhans cell skin 1459
II restriction lymphocyte antigen processing 947
switch Ig somatic mutation 531
Clonal
deletion anergy responsiveness T lymphocyte 1305
deletion failure neonatal thymectomy mouse 1277
Cloning
gene IgA Fc receptor 1665
granulocyte colony stimulating factor receptor 1559
protein MIP2 gene 911
Collagen
arthritis rat RT1 antigen gene 1331
domain protein complement C1q receptor 955
receptor helper T lymphocyte activation 649
Colony
forming cell hematopoietic precursor CD34 355
stimulating factor granulocyte macrophage phospholipase 767
stimulating factor interleukin 5 receptor 1347
stimulating factor macrophage monocyte tumor 231
Complement
activating lipid atherosclerosis lesion 547
C1q receptor protein collagen domain 955
C3 MOMP Legionella monocyte phagocytosis 1201
C3 polymorphism 1011
receptor antibody response 665
tumor damage membrane cofactor protein 1673
Coronavirus
neurotropic olfactory ablation mouse brain 1127
Correction
antigen presentation dendritic cell spleen 1275
CD37 leukocyte antigen peptide sequence 1007
point mutation Ig gene 669
Cyclase
guanylate arginine tumor necrosis factor 1843
Cyclooxygenase
derived eicosanoid blood vessel filaria 993
Cyclosporine
interleukin 2 gene nuclear factor 1869
thymus T lymphocyte clone selection 395
transplant age graft host disease 85
Cytokine
Act2 receptor cell 285
Eta 1 T lymphocyte autoimmunity 1177
thymocyte antigen receptor gene rearrangement 847
Cytolytic
helper T lymphocyte calcium phospholipase 213
T lymphocyte interleukin 7 577
Cytoplasm
domain class I T lymphocyte 1267
Cytotoxic
lymphocyte T cell target 1 1071
T lymphocyte circumsporozoite antigen Salmonella 1083
T lymphocyte HLA antigen 779
Cytotoxin
Aspergillus allergen I 1529
Deaminase
adenosine gene human mouse 729
Death
T lymphocyte interferon gamma selftolerance 1735
Deletion
anergy clonal responsiveness T lymphocyte 1305
Demyelination
relapsing autoimmune adhesion mol 1521
Dendritic
cell lung receptor 159
cell spleen antigen presentation 383 631
cell spleen antigen presentation correction 1275
Development
anomaly maternal macrophage suppression 1325
Ig nucleotide region gene 1377
Dexamethasone
interleukin 2 gene nuclear factor 1869
tumor necrosis factor endotoxin 391
Diabetes
pancreatic islet antigen fragment 789
Dipeptide
methyl ester transport lymphocyte 183
Disappearance
acidic organelle antigen processing capacity 1471
DNA
HIV virus cytopathol antiviral 1035
Domain
collagen protein complement C1q receptor 955
Editorial
journal format change 1
Eicosanoid
cyclooxygenase derived blood vessel filaria 993
Encephalomyelitis
lymphotoxin tumor necrosis factor antibody 1193
suppression allergic Lewis rat macrophage 1025
Endosome
Langerhans cell disappearance antigen processing 1471
Endothelin
formation macrophage 1741
Endothelium
procoagulant vascular permeability factor 1535
Endotoxin
keratinocyte tumor necrosis factor 1609
tumor necrosis factor pentoxifylline dexamethasone 391
Enhancer
gene T cell receptor 1443
Entamoeba
pathogenicity variable surface antigen 879
Enterotoxin
B TCR lymphocyte anergy 1091
presentation lymphocyte HLA DR allele 709
Staphylococcus CD4 antigen lymphocyte anergy 1065
Staphylococcus stimulation T lymphocyte monocyte 1831
Eosinophil
granule protein blood platelet activation 1271
interleukin 5 receptor 683
receptor interleukin 5 1347
transforming growth factor 673
Eosinophilia
helminth infection interleukin 5 399
interleukin 5 1425
Epithelium
intestinal T cell localization 239
Epitope
glycoprotein gp63 Leishmania T lymphocyte 645
Erythropoietin
mRNA kidney oxygen 657
Escherichia
hemolysin lung vessel leukotriene sepsis 1115
Evolution
class II antigen allele conservation 53
mutation monoclonal Ig heavy chain 315
selectin gene mouse human 263
Explant
transplant skin migration maturation Langerhans 1483
E319K
adenovirus class I antigen transport 1653
Fibroblast
chemotaxis tumor necrosis factor peptide 1749
conditioned medium T lymphocyte survival 1873
growth factor wound healing 245
nitrite nitrate tetrahydrobiopterin interferon gamma 1599
Fibronectin
VLA antigen T lymphocyte activation 1185
Filaria
blood vessel cyclooxygenase derived eicosanoid 993
Finnish
hereditary amyloidosis gelsolin gene mutation 1865
FK
506 interleukin 2 gene 1869
Format
change journal editorial 1
Fusion
human immunodeficiency virus CD4 antigen 1233
membrane CD4 gp120env complex antibody 1143
Gelsolin
gene mutation Finnish hereditary amyloidosis 1865

Gene
adenosine deaminase human mouse 729
antigen P198 mutation sequence mouse 35
antigen SA851 Trypanosoma sequence expression 589
autoantibody Thy antigen thymocyte 869
CD3 thymocyte T cell receptor 1409
CD37 antigen sequence correction 1007
cloning IgA Fc receptor 1665
D glycoprotein herpes virus virulence 487
enhancer T cell receptor 1443
gelsolin mutation Finnish hereditary amyloidosis 1865
histocompatibility antigen cat sequence recombination 621
hybridoma IgG variable region mutation 131
H2D mouse HLA B27 antigen 1255
Ig Clambda human sequence expression 609
Ig nucleotide region development 1377
Ig point mutation correction 669
Ig rearrangement antigen B lymphocyte 815
Ig somatic mutation rearrangement 1717
Ig Vkappa rearrangement recombination 559
IgE interleukin 4 B lymphocyte 463
IgG Fc receptor II polymorphism 19
integrin mutation leukocyte adhesion deficiency 335
interferon regulation T lymphocyte 661
interleukin 2 antitumor immunity 1217
interleukin 2 nuclear factor immunosuppressant 1869
interleukin 6 transformation B lymphocyte 61
leukocyte adhesion mol chromosome 1 263
lpr gld autoimmune disease 1367
parathyroid hormone protein human leukemia 759
protein MIP2 cloning sequence 911
rearrangement antigen receptor thymocyte cytokine 847
rearrangement selection Ig Ly1 antigen 371
recessive target natural killer recognition 47
retinoate receptor rearrangement promyelocytic leukemia 1571
RT1 antigen rat collagen arthritis 1331
sequence protein NK T cell 1159
sequence proteinase 3 neutrophil human 1709
T cell receptor junction diversity 169
T cell receptor recombination human 409
tal1 human sequence translocation leukemia 1403
transforming growth factor Tax upregulation 121
37 Qa1 antigen mouse 1795
Gld
lpr gene autoimmune disease 1367
Glomerulus
guanylate cyclase monokine arginine 1843
Glycoprotein
D gene herpes virus virulence 487
gp63 epitope Leishmania T lymphocyte 645
lymphocytic choriomeningitis virus persistence 1043
Gp120env
CD4 complex antibody membrane fusion 1143
Graft
host disease age transplant cyclosporine 85
host reaction nurse cell lymphocyte 521
Granule
protein eosinophil blood platelet activation 1271
Granulocyte
colony stimulating factor receptor cloning 1559
macrophage colony stimulating factor phospholipase 767
GroEl
related protein gamma delta lymphocyte 1857
Gross
leukemia virus newborn immune tolerance 1765
Guanylate
cyclase arginine tumor necrosis factor 1843
Hapten
antibody mutant memory B lymphocyte 1681
Helminth
infection eosinophilia interleukin 5 399
Helper
cytolytic T lymphocyte calcium phospholipase 213
lymphocyte activation Leishmania antigen peptide 1359
T lymphocyte activation collagen receptor 649
T lymphocyte H2 antigen tolerance 105
T lymphocyte xenoantigen 567
Hemagglutinin
antigen mouse Ig gene antibody 815
Hematopoiesis
thymus liver xenograft SCID mouse 1055
Hematopoietic
cell CD45 antigen isoform 363
precursor colony forming cell CD34 355
progenitor cell adherance bone marrow 509
spleen cell interleukin 3 403
Hemolysin
Escherichia lung vessel leukotriene sepsis 1115
Herpes
virus virulence glycoprotein D gene 487
Histamine
leukotriene interleukin 5 basophil agonist 1577
release basophil interleukin 5 1525
Histocompatibility
antigen CD3 antigen specific nonresponsiveness 1691
antigen gene cat sequence recombination 621
antigen peptide self immunogenicity tolerogenicity 1341
antigen self suppressor cell 901
Histone
H1 chromatin serum amyloid P 13
HIV
virion infectivity factor Schistosoma antigen 1001
virus DNA cytopathol antiviral 1035
HIV1
autoantibody CD43 antigen lymphocyte 1151
HLA
antigen corecognition T lymphocyte 387
antigen cytotoxic T lymphocyte 779
antigen peptide binding 889
B27 antigen H2D gene mouse 1255
class I antigen peptide binding 827 931
DR allele enterotoxin presentation lymphocyte 709
DR7 beta chain antigen polymorphism 273
HTLV1
virus gene tax parathyroid hormone 759
Human
adenosine deaminase gene mouse 729
gene tal1 sequence translocation leukemia 1403
Ig Clambda gene sequence expression 609
immunodeficiency virus fusion CD4 antigen 1233
immunodeficiency virus infection monocyte interferon 1433
immunodeficiency virus lipopolysaccharide macrophage 253
immunodeficiency virus monocyte interleukin 6 151
immunodeficiency virus peptide HLA antigen 889
immunodeficiency virus T lymphocyte variant 745
leukemia parathyroid hormone protein gene 759
macrophage inflammatory protein 2 911
natural killer T cell gene 1159
neutrophil proteinase 3 gene sequence 1709
preB cell differentiation 325
selectin gene organization evolution 263
T cell receptor gene recombination 409
Hyaluronate
cell adhesion CD44 antigen 69
Hybridoma
IgG variable region gene mutation 131
Hypergammaglobulinemia
interleukin 6 1505
H1
histone chromatin serum amyloid P 13
H2
antigen tolerance helper T lymphocyte 105
H2D
gene mouse HLA B27 antigen 1255
Ig
Clambda gene human sequence expression 609
class switch somatic mutation 531
gene point mutation correction 669
gene rearrangement antigen B lymphocyte 815
gene rearrangement selection Ly1 antigen 371
gene somatic mutation rearrangement 1717
monoclonal evolution mutation heavy chain 315
mu chain protein complex surface 973
nucleotide region gene development 1377
Vkappa gene rearrangement recombination 559
IgA
Fc receptor gene cloning 1665
IgE
Fc binding factor proteinase 693
formation CD40 interleukin 4 1861
gene interleukin 4 B lymphocyte 463
IgG
Fc receptor II polymorphism gene 19
switch chromatin structure interleukin 4 375
variable region gene mutation hybridoma 131
IgM
CD5 antigen B lymphocyte 475
receptor B lymphocyte 1165
IL
2 gene mRNA immunosuppressant 1869
Immune
tolerance gross leukemia virus newborn 1765
Immunity
antitumor interleukin 2 gene 1217
Immunodeficient
B lymphocyte interleukin 10 1625
Immunogenicity
self histocompatibility antigen peptide 1341
Immunohematopoietic
stem cell transplantation 431
Immunosuppressant
interleukin 2 gene nuclear factor 1869
transforming growth factor pregnancy 1391
Immunosuppression
transforming growth factor 1777
Immunotoxin
HIV virus T lymphocyte variant 745
Inflammation
lung cervical sympathetic trunk 1819
Influenza
antigen MHC complex T lymphocyte 1643
late TCR gamma delta lymphocyte 1225
Integrin
collagen receptor helper lymphocyte 649
gene mutation leukocyte adhesion deficiency 335
Interferon
autocrine growth factor B leukemia 1729
gamma recombinant treatment lepromatous leprosy 1509
gamma T lymphocyte death selftolerance 1735
gamma tetrahydrobiopterin nitrite nitrate fibroblast 1599
gene regulation T lymphocyte 661
human immunodeficiency virus infection monocyte 1433
interleukin 2 vaccinia virus infection 1495
macrophage bacteria coinfection 977
Interleukin
formation T cell receptor 95
natural killer lymphocyte bone marrow 303
1 cerebral malaria 1287
1 receptor transforming growth factor 737
1beta meninges inflammation 497
10 immunodeficient B lymphocyte 1625
2 gene antitumor immunity 1217
2 gene nuclear factor immunosuppressant 1869
2 interferon vaccinia virus infection 1495
2 receptor p70 natural killer 1101
3 hematopoietic spleen cell 403
4 biosynthesis T lymphocyte 921
4 CD40 IgE formation 1861
4 IgE gene B lymphocyte 463
4 IgG switch chromatin structure 375
4 receptor T lymphocyte differentiation 439
5 basophil histamine release 1525
5 eosinophilia 1425
5 eosinophilia helminth infection 399
5 histamine leukotriene basophil agonist 1577
5 receptor eosinophil 683 1347
6 formation cerebral malaria 1505
6 gene transformation B lymphocyte 61
6 human immunodeficiency virus monocyte 151

6 plasmacytoma growth 997
6 T lymphocyte CD2 activation 1419
7 cytolytic T lymphocyte 577
Intestinal
epithelium T cell localization 239
Iron
oxidn transferrin lactoferrin antibacterial 1293
Irradn
bone marrow chimera T cell 1305
Islet
allograft cell lymphocyte 291
Journal
format change editorial 1
Keratinocyte
tumor necrosis factor endotoxin UV 1609
Kidney
allograft rejection T lymphocyte MHC 1547
erythropoietin mRNA oxygen 657
pathol lupus transfer immunodeficiency 985
Kinase
phosphorylation tyrosine CD45 antigen 347
protein MARCKS protein substrate macrophage 1211
tumor necrosis factor virus astrocyte 989
Ku
autoantigen nuclear factor IV 1049
Lactation
mammary gland T cell receptor 1263
Lactoferrin
transferrin antibacterial iron oxidn 1293
Lamin
receptor autoantibody biliary cirrhosis 961
Langerhans
cell endosome disappearance antigen processing 1471
cell skin antigen processing 1459
migration maturation skin transplant explant 1483
Legionella
MOMP complement C3 monocyte phagocytosis 1201
Leishmania
antigen peptide helper lymphocyte activation 1359
glycoprotein gp63 epitope T lymphocyte 645
Lepromatous
leprosy leukocyte accumulation rIFN gamma 1509
Leprosy
lepromatous leukocyte accumulation rIFN gamma 1509
Leukemia
acute promyelocytic retinoate receptor mutation 1571
B interferon autocrine growth factor 1729
gene tal1 human sequence translocation 1403
human parathyroid hormone protein gene 759
T cell transforming growth factor 121
Leukocyte
accumulation lepromatous leprosy rIFN gamma 1509
adhesion deficiency gene integrin mutation 335
adhesion mol gene chromosome 1 263
Leukotriene
histamine interleukin 5 basophil agonist 1577
lipoxin platelet neutrophil 1451
lung vessel Escherichia hemolysin sepsis 1115
Lewis
rat suppression allergic encephalomyelitis macrophage 1025
LFA
antigen natural killer lymphocyte cytolysis 457
Lipid
complement activating atherosclerosis lesion 547
IV tumor necrosis factor 77
Lipopolysaccharide
human immunodeficiency virus macrophage 253
Lipoxin
leukotriene platelet neutrophil 1451
Liver
proliferation abnormal lymphocyte autoimmune mice 7
thymus xenograft hematopoiesis SCID mouse 1055
Lpr
gene gld autoimmune disease 1367
Lung
dendritic cell receptor 159
inflammation cervical sympathetic trunk 1819
vessel leukotriene Escherichia hemolysin sepsis 1115
Lupus
autoantibody CD45 antigen isoform 653
proliferating cell nuclear antigen autoantibody 419
transfer severe immunodeficient mouse autoantibody 985
Ly
6A antigen T cell receptor 115
Lymphocyte
abnormal proliferation autoimmune mice liver 7
activation CD2 antigen sequence domain 351
activation receptor antigen 115
anergy CD4 antigen TCR 1065
anergy TCR enterotoxin B 1091
antibody pertussis toxin vaccination 861
antigen processing class II restriction 947
autoantibody CD43 antigen HIV1 1151
B CD75 antigen sialyltransferase 641
B Ig gene rearrangement antigen 815
B IgM CD5 antigen 475
B IgM receptor 1165
B immunodeficient interleukin 10 1625
B interleukin 4 IgE gene 463
B transformation interleukin 6 gene 61
cytolytic T interleukin 7 577
cytotoxic T cell target 1 1071
cytotoxic T circumsporozoite antigen Salmonella 1083
cytotoxic T HLA antigen 779
dipeptide methyl ester transport 183
enterotoxin presentation HLA DR allele 709
gamma delta groEl related protein 1857
gamma delta pore forming protein 1877
helper activation Leishmania antigen peptide 1359
helper cytolytic T calcium phospholipase 213
helper T activation collagen receptor 649
helper T H2 antigen tolerance 105
memory B hapten antibody mutant 1681
natural killer bone marrow interleukin 303
natural killer cytolysis LFA antigen 457
nurse cell graft host reaction 521
pro T mice surface marker 219
proliferation antigen 8H3 1315
T activation VLA antigen fibronectin 1185
T autoreactive neg selection TCR 835
T B220 TCR autoimmune model 1805
T CD2 activation interleukin 6 1419
T CD4 CD8 islet allograft 291
T CD4 malaria protection 1353
T CD45RB antigen wasting disease 1701
T class I cytoplasm domain 1267
T clonal deletion anergy responsiveness 1305
T clone selection thymus cyclosporine 395
T cytokine Eta 1 autoimmunity 1177
T death interferon gamma selftolerance 1735
T differentiation interleukin 4 receptor 439
T helper determinant Chlamydia 203
T helper xenoantigen 567
T HLA antigen corecognition 387
T influenza antigen MHC complex 1643
T interferon gene regulation 661
T interleukin 4 biosynthesis 921
T kidney allograft rejection MHC 1547
T Leishmania glycoprotein gp63 epitope 645
T neg selection Mls antigen 807
T receptor myeloproliferative sarcoma virus 447
T survival fibroblast conditioned medium 1873
T variant human immunodeficiency virus 745
T virus antigen presentation 273
TCR gamma delta late influenza 1225
TCR gene toxic shock syndrome 981
transforming growth factor 1777
Lymphocytic
choriomeningitis virus glycoprotein persistence 1043
Lymphohematopoietic
chimera rat mouse 195
Lymphokine
formation antigen presenting cell 567
Lymphotoxin
tumor necrosis factor antibody encephalomyelitis 1193
Lysis
perforin mediated protectin 367
Ly1
antigen Ig gene rearrangement selection 371
M
protein Streptococcus superantigen 359
Macrophage
bacteria coinfection interferon 977
colony stimulating factor monocyte tumor 231
endothelin formation 1741
human immunodeficiency virus lipopolysaccharide 253
inflammatory protein 2 mouse 911
mannose receptor carbohydrate domain phagocytosis 1785
MARCKS protein substrate protein kinase 1211
receptor mediated phagocytosis actin talin 1853
suppression maternal development anomaly 1325
Mac1
cell islet allograft 291
Major
outer membrane protein determinant 203
Malaria
antigen Salmonella oral vaccine 1083
cerebral interleukin 1 1287
cerebral interleukin 6 formation 1505
merozoite protein fragment antibody inhibition 379
protection CD4 T lymphocyte 1353
Mammary
gland lactation T cell receptor 1263
Mannose
receptor macrophage carbohydrate domain phagocytosis 1785
MARCKS
protein substrate protein kinase macrophage 1211
Marrow
bone hematopoietic progenitor cell adherance 509
bone irradn chimera T cell 1305
Mast
cell recovery interleukin 3 403
Maternal
macrophage suppression development anomaly 1325
Maturation
migration Langerhans skin transplant explant 1483
Membrane
cofactor protein complement tumor damage 1673
fusion CD4 gp120env complex antibody 1143
Memory
B lymphocyte hapten antibody mutant 1681
Meninges
inflammation interleukin 1beta 497
MHC
influenza antigen complex T lymphocyte 1643
kidney allograft rejection T lymphocyte 1547
Mice
autoimmune proliferation abnormal lymphocyte liver 7
CD4 resistance Pneumocystis carinii pneumonia 937
pro T lymphocyte surface marker 219
Migration
maturation Langerhans skin transplant explant 1483
Mls
antigen T lymphocyte neg selection 807
MOMP
Legionella complement C3 monocyte phagocytosis 1201
Monoclonal
antibody tumor necrosis factor receptor 1517
Ig evolution mutation heavy chain 315
Monocyte
cooperation Plasmodium inhibition antibody 1633
human immunodeficiency virus infection interferon 1433
human immunodeficiency virus interleukin 6 151
phagocytosis complement C3 MOMP Legionella 1201
procoagulant vascular permeability factor 1535
T lymphocyte Staphylococcus enterotoxin stimulation 1831
tumor macrophage colony stimulating factor 231
Mouse
antigen P198 gene mutation sequence 35
brain olfactory ablation neurotropic coro=

navirus 1127
human adenosine deaminase gene 729
H2D gene HLA B27 antigen 1255
Ig gene antibody hemagglutinin antigen 815
macrophage inflammatory protein 2 911
neonatal thymectomy clonal deletion failure 1277
Qa1 antigen gene 37 1795
rat lymphohematopoietic chimera 195
SCID thymus liver xenograft hematopoiesis 1055
selectin gene organization evolution 263
severe immunodeficient lupus transfer autoantibody 985
mRNA
erythropoietin kidney oxygen 657
IL 2 gene immunosuppressant 1869
monokine protein kinase virus astrocyte 989
transforming factor uterus pregnancy 1391
Mutant
antibody hapten memory B lymphocyte 1681
Mutation
evolution monoclonal Ig heavy chain 315
gelsolin gene Finnish hereditary amyloidosis 1865
gene integrin leukocyte adhesion deficiency 335
hybridoma IgG variable region gene 131
mouse antigen P198 gene 35
point Ig gene correction 669
somatic Ig class switch 531
somatic rearrangement Ig gene 1717
Myeloproliferative
sarcoma virus T lymphocyte receptor 447
Natural
killer interleukin 2 receptor p70 1101
killer lymphocyte bone marrow interleukin 303
killer lymphocyte cytolysis LFA antigen 457
killer recognition recessive gene target 47
killer subset surface antigen alloantigen 1589
Neonatal
thymectomy mouse clonal deletion failure 1277
Neurotropic
coronavirus olfactory ablation mouse brain 1127
Neutrophil
hemolysin lung vessel leukotriene sepsis 1115
platelet lipoxin leukotriene 1451
proteinase 3 sequence 1709
tumor necrosis factor receptor shedding 599
Newborn
gross leukemia virus immune tolerance 1765
Nitrate
nitrite fibroblast tetrahydrobiopterin interferon gamma 1599
Nitrite
nitrate fibroblast tetrahydrobiopterin interferon gamma 1599
Nuclear
factor interleukin 2 gene immunosuppressant 1869
factor IV autoantigen Ku 1049
Nucleotide
region gene development Ig 1377
Nurse
cell lymphocyte graft host reaction 521
Olfactory
ablation neurotropic coronavirus mouse brain 1127
Oral
vaccine malaria antigen Salmonella 1083
Organelle
acidic disappearance antigen processing capacity 1471
Oxidn
iron transferrin lactoferrin antibacterial 1293
Oxygen
kidney erythropoietin mRNA 657
Pancreatic
islet antigen fragment antibody diabetes 789
secretory trypsin inhibitor receptor 1133
Parathyroid
hormone protein gene human leukemia 759
Pentoxifylline
tumor necrosis factor endotoxin 391
Peptide
binding HLA class I antigen 827 931
class I antigen presentation 387
HLA antigen binding 889
Leishmania antigen helper lymphocyte activation 1359
self histocompatibility antigen immunogenicity tolerogenicity 1341
Perforin
mediated lysis protectin 367
Pertussis
toxin vaccination antibody lymphocyte 861
Phagocytosis
macrophage mannose receptor 1785
monocyte complement C3 MOMP Legionella 1201
receptor mediated macrophage actin talin 1853
tumor monocyte colony stimulating factor 231
Phospholipase
calcium helper cytolytic T lymphocyte 213
granulocyte macrophage colony stimulating factor 767
Phosphorylation
tyrosine kinase CD45 antigen 347
Pili
type Aeromonas 795
Pilin
type Aeromonas 795
Plasmacytoma
growth interleukin 6 receptor 997
Plasmodium
inhibition antibody monocyte cooperation 1633
Platelet
activation aggregation CD69 antigen 701
neutrophil lipoxin leukotriene 1451
Pneumocystis
carinii pneumonia resistance CD4 mice 937
Pneumonia
Pneumocystis carinii resistance CD4 mice 937
Point
mutation Ig gene correction 669
Polymorphism
complement C3 1011
HLA DR7 beta chain antigen 273
Pore
forming protein lymphocyte gamma delta 1877
PreB
cell human differentiation 325
gene protein Ig complex 973
variable light heavy chain protein 969
Pregnancy
transforming growth factor immunosuppressant 1391
Procoagulant
endothelium monocyte vascular permeability factor 1535
Progenitor
hematopoietic cell adherance bone marrow 509
Proliferating
cell nuclear antigen autoantibody lupus 419
Proliferation
abnormal lymphocyte autoimmune mice liver 7
Promyelocytic
leukemia acute retinoate receptor mutation 1571
Protectin
perforin mediated lysis 367
Protein
collagen domain complement C1q receptor 955
eosinophil granule blood platelet activation 1271
fragment malaria merozoite antibody inhibition 379
groEl related gamma delta lymphocyte 1857
Ig mu chain complex surface 973
kinase MARCKS protein substrate macrophage 1211
kinase monokine mRNA virus astrocyte 989
Legionella complement C3 monocyte phagocytosis 1201
M Streptococcus superantigen 359
major outer membrane determinant 203
membrane cofactor complement tumor damage 1673
MIP2 gene cloning sequence 911
NK T cell gene sequence 1159
parathyroid hormone gene human leukemia 759
pore forming lymphocyte gamma delta 1877
Streptococcus M 1757
Talpha2 repressor TCR receptor 1443
variable light heavy chain preB 969
Proteinase
IgE Fc binding factor 693
3 sequence neutrophil 1709
Pseudogene
TCR alpha chain rearrangement retraction 1005
P70
receptor interleukin 2 natural killer 1101
Qa1
antigen gene 37 mouse 1795
Rat
collagen arthritis RT1 antigen gene 1331
Lewis suppression allergic encephalomyelitis macrophage 1025
mouse lymphohematopoietic chimera 195
thymus pos selection CD4 CD8 1615
Rearrangement
Ig gene somatic mutation 1717
Receptor
Act2 cytokine cell 285
antigen autoreactive T lymphocyte selection 835
antigen gene rearrangement thymocyte cytokine 847
antigen TCR T lymphocyte selection 807
collagen helper T lymphocyte activation 649
complement antibody response 665
complement C1q protein collagen domain 955
granulocyte colony stimulating factor cloning 1559
IgA Fc gene cloning 1665
IgG Fc II polymorphism gene 19
IgM B lymphocyte 1165
interleukin 1 transforming growth factor 737
interleukin 4 T lymphocyte differentiation 439
interleukin 5 eosinophil 683 1347
interleukin 6 plasmacytoma growth 997
lamin autoantibody biliary cirrhosis 961
lung dendritic cell 159
mannose macrophage carbohydrate domain phagocytosis 1785
mediated phagocytosis macrophage actin talin 1853
pancreatic secretory trypsin inhibitor 1133
p70 interleukin 2 natural killer 1101
retinoate gene rearrangement promyelocytic leukemia 1571
T cell CD3 gene thymocyte 1409
T cell chain junction diversity 169
T cell gene recombination human 409
T cell interleukin formation 95
T cell lactation mammary gland 1263
T cell Ly 6A antigen 115
T cell repertoire 139
T lymphocyte myeloproliferative sarcoma virus 447
TCR repressor protein Talpha2 1443
tumor necrosis factor monoclonal antibody 1517
tumor necrosis factor shedding neutrophil 599
tumor necrosis factor signal transduction 1019
Recessive
gene target natural killer recognition 47
Recombination
histocompatibility antigen gene cat 621
rearrangement Ig Vkappa gene 559
T cell receptor gene human 409
Relapsing
autoimmune demyelination adhesion mol 1521
Repressor
protein Talpha2 TCR receptor 1443
Responsiveness
clonal deletion anergy T lymphocyte 1305
Retinoate
receptor gene rearrangement promyelocytic leukemia 1571
Retraction
cell receptor gene rearrangement lymphoma 1005
Retrovirus
amphotropic human adenosine deaminase mouse 729
rIFN
gamma leukocyte accumulation lepromatous leprosy 1509
RT1
antigen gene rat collagen arthritis 1331
Salmonella
circumsporozoite antigen cytotoxic T lymphocyte 1083
Sarcoidosis
human T cell receptor diversity 169
Schistosoma
antigen virion infectivity factor HIV 1001

SCID
mouse thymus liver xenograft hemato= poiesis 1055
Selectin
gene organization evolution mouse human 263
Self
histocompatibility antigen peptide immu= nogenicity tolerogenicity 1341
Sepsis
Escherichia hemolysin lung vessel leuko= triene 1115
Sequence
antigen SA851 gene Trypanosoma 589
gene protein NK T cell 1159
glycoprotein D gene herpes virus 487
histocompatibility antigen gene cat 621
Ig Clambda gene human 609
mouse antigen P198 gene mutation 35
protein MIP2 gene 911
proteinase 3 neutrophil 1709
translocation gene tal1 human leukemia 1403
Serum
amyloid P chromatin H1 histone 13
Severe
immunodeficient mouse autoantibody lupus transfer 985
Sialyltransferase
CD75 antigen B lymphocyte 641
Skin
Langerhans cell antigen processing 1459
transplant explant migration maturation Langerhans 1483
Somatic
mutation Ig class switch 531
mutation rearrangement Ig gene 1717
Spleen
dendritic cell antigen presentation 383 631
dendritic cell antigen presentation correc= tion 1275
Splenocyte
antigen incompatible tolerance transfusion 719
Staphylococcus
enterotoxin CD4 antigen lymphocyte anergy 1065
enterotoxin stimulation T lymphocyte monocyte 1831
Stem
cell immunohematopoietic transplantation 431
Streptococcus
M protein superantigen 359
protein M 1757
Superantigen
Streptococcus M protein 359
Suppression
allergic encephalomyelitis Lewis rat ma= crophage 1025
Suppressor
cell self histocompatibility antigen 901
Surface
antigen natural killer subset alloantigen 1589
antigen variable Entamoeba pathogenicity 879
marker pro T lymphocyte mice 219
Sympathetic
cervical trunk inflammation lung 1819
T
cell gene natural killer human 1159
cell irradn bone marrow chimera 1305
cell leukemia transforming growth factor 121
cell localization intestinal epithelium 239
cell receptor CD3 gene thymocyte 1409
cell receptor chain junction diversity 169
cell receptor gene enhancer 1443
cell receptor gene recombination human 409
cell receptor lactation mammary gland 1263
cell receptor Ly 6A antigen 115
cell receptor repertoire 139
cell target 1 cytotoxic lymphocyte 1071
cytolytic lymphocyte interleukin 7 577
cytotoxic lymphocyte HLA antigen 779
helper cytolytic lymphocyte calcium phos= pholipase 213
helper lymphocyte determinant Chlamydia 203
helper lymphocyte H2 antigen tolerance 105
helper lymphocyte xenoantigen 567
helper subset cholera toxin 95
lymphocyte activation toxic shock syn= drome 981
lymphocyte activation VLA antigen fibro= nectin 1185
lymphocyte autoreactive neg selection TCR 835
lymphocyte B220 TCR autoimmune model 1805
lymphocyte CD4 CD8 islet allograft 291
lymphocyte CD4 malaria protection 1353
lymphocyte CD45RB antigen wasting disease 1701
lymphocyte class I cytoplasm domain 1267
lymphocyte clone selection thymus cyclos= porine 395
lymphocyte cytokine Eta 1 autoimmunity 1177
lymphocyte cytotoxic circumsporozoite antigen Salmonella 1083
lymphocyte death interferon gamma self= tolerance 1735
lymphocyte differentiation interleukin 4 receptor 439
lymphocyte HLA antigen corecognition 387
lymphocyte influenza antigen MHC com= plex 1643
lymphocyte interferon gene regulation 661
lymphocyte interleukin 4 biosynthesis 921
lymphocyte interleukin 6 CD2 activation 1419
lymphocyte kidney allograft rejection MHC 1547
lymphocyte Leishmania glycoprotein gp63 epitope 645
lymphocyte monocyte Staphylococcus enterotoxin stimulation 1831
lymphocyte neg selection Mls antigen 807
lymphocyte receptor myeloproliferative sarcoma virus 447
lymphocyte survival fibroblast conditioned medium 1873
lymphocyte variant human immunodefici= ency virus 745
lymphocyte virus antigen presentation 273
Talin
actin macrophage receptor mediated pha= gocytosis 1853
Tax
upregulation transforming growth factor gene 121
TCR
autoimmune model T lymphocyte B220 1805
autoreactive T lymphocyte neg selection 835
CDR3 region antigen specificity 27
CD4 antigen lymphocyte anergy 1065
gamma delta lymphocyte cytotoxicity protein 1877
gamma delta lymphocyte late influenza 1225
gene lymphocyte toxic shock syndrome 981
lymphocyte anergy enterotoxin B 1091
receptor repressor protein Talpha2 1443
receptor T lymphocyte selection 807
Tetrahydrobiopterin
nitrite nitrate fibroblast interferon gamma 1599
Thy
antigen thymocyte autoantibody gene 869
Thymectomy
neonatal mouse clonal deletion failure 1277
Thymocyte
antigen receptor gene rearrangement cytokine 847
CD3 antigen zeta eta isoform 1243
development CD3 CD4 CD8 kinetics 1583
T cell receptor CD3 gene 1409
Thy antigen autoantibody gene 869
Thymus
induction autoantibody autoimmune dis= ease 537
liver xenograft hematopoiesis SCID mouse 1055
pos selection rat CD4 CD8 1615
T lymphocyte clone selection cyclosporine 395
Tolerance
H2 antigen helper T lymphocyte 105
induction xenog barrier 195
splenocyte antigen incompatible transfu= sion 719
Tolerogenicity
self histocompatibility antigen peptide 1341
Toxic
shock syndrome T lymphocyte activation 981
Toxin
cholera T helper subset 95
pertussis vaccination antibody lymphocyte 861
Transcription
NK T cell gene human 1159
Transferrin
lactoferrin antibacterial iron oxidn 1293
Transformation
B lymphocyte interleukin 6 gene 61
Transforming
growth factor eosinophil 673
growth factor gene Tax upregulation 121
growth factor immunosuppressant preg= nancy 1391
growth factor immunosuppression 1777
growth factor interleukin 1 receptor 737
Transfusion
splenocyte antigen incompatible tolerance 719
Translocation
sequence gene tal1 human leukemia 1403
Transplant
age graft host disease cyclosporine 85
explant skin migration maturation Langer= hans 1483
Transplantation
immunohematopoietic stem cell 431
Transport
class I antigen E319K adenovirus 1653
dipeptide methyl ester lymphocyte 183
Trypanosoma
antigen SA851 gene sequence expression 589
Trypsin
inhibitor pancreatic secretory receptor 1133
Tumor
damage complement membrane cofactor protein 1673
monocyte macrophage colony stimulating factor 231
necrosis factor endotoxin pentoxifylline dexamethasone 391
necrosis factor guanylate cyclase arginine 1843
necrosis factor human immunodeficiency virus 151
necrosis factor keratinocyte endotoxin UV 1609
necrosis factor lipid IV 77
necrosis factor lymphotoxin antibody encephalomyelitis 1193
necrosis factor macrophage bacteria coin= fection 977
necrosis factor meninges inflammation 497
necrosis factor peptide fibroblast chemo= taxis 1749
necrosis factor receptor monoclonal anti= body 1517
necrosis factor receptor shedding neutro= phil 599
necrosis factor receptor signal transduction 1019
necrosis factor virus astrocyte kinase 989
Tyrosine
kinase phosphorylation CD45 antigen 347
Uterus
pregnancy transforming factor mRNA 1391
UV
keratinocyte tumor necrosis factor 1609
Vaccine
oral malaria antigen Salmonella 1083
Vaccinia
virus infection interferon interleukin 2 1495
Variable
surface antigen Entamoeba pathogenicity 879
Vascular
permeability factor endothelium monocyte procoagulant 1535
Vessel
leukotriene lung Escherichia hemolysin sepsis 1115
Virion
infectivity factor HIV Schistosoma antigen 1001
Virulence
herpes virus glycoprotein D gene 487
Virus
antigen presentation T lymphocyte 273
astrocyte kinase tumor necrosis factor 989
gross leukemia newborn immune tolerance 1765
herpes virulence glycoprotein D gene 487
HIV DNA cytopathol antiviral 1035
HTLV1 gene tax parathyroid hormone 759

human immunodeficiency fusion CD4
antigen 1233
human immunodeficiency infection mono=
cyte interferon 1433
human immunodeficiency lipopolysacchar=
ide macrophage 253
human immunodeficiency monocyte inter=
leukin 6 151
human immunodeficiency peptide HLA
antigen 889
human immunodeficiency T lymphocyte
variant 745
lymphocytic choriomeningitis glycoprotein
persistence 1043
myeloproliferative sarcoma T lymphocyte
receptor 447
vaccinia infection interferon interleukin 2
1495
VLA
antigen fibronectin T lymphocyte activa=
tion 1185
Wasting
disease CD45RB antigen T lymphocyte
1701
Wound
healing basic fibroblast growth factor 245
Xenoantigen
helper T lymphocyte 567
Xenog
barrier tolerance induction 195
Xenograft
thymus liver hematopoiesis SCID mouse
1055